

Università degli studi di Udine

Impact of high pressure homogenization on physical properties, extraction yield and biopolymer structure of soybean okara

Original

Availability: This version is available http://hdl.handle.net/11390/1152882 since 2020-03-10T15:50:38Z

Publisher:

Published DOI:10.1016/j.lwt.2019.108324

Terms of use:

The institutional repository of the University of Udine (http://air.uniud.it) is provided by ARIC services. The aim is to enable open access to all the world.

Publisher copyright

(Article begins on next page)

Elsevier Editorial System(tm) for LWT - Food

Science and Technology

Manuscript Draft

Manuscript Number: LWT-D-19-01686R2

Title: Impact of high pressure homogenization on physical properties, extraction yield and biopolymer structure of soybean okara

Article Type: Research paper

Keywords: Soybean residue; Vegetable by-products; Waste valorization; Protein; Fiber

Corresponding Author: Dr. Stella Plazzotta, Ph.D.

Corresponding Author's Institution: University of Udine

First Author: Goly Fayaz, Ph.D.

Order of Authors: Goly Fayaz, Ph.D.; Stella Plazzotta, Ph.D.; Sonia Calligaris, Professor; Lara Manzocco, Professor; Maria Cristina Nicoli, Professor

Abstract: The effect of high pressure homogenization (HPH) on soy okara was studied. To this purpose, okara dispersions (10 g/100 g) were subjected to 1 pass at 50, 100 and 150 MPa and to 5 passes at 150 MPa. Samples were analyzed for stability, particle size, microstructure, and viscosity. Results highlighted that the increase of HPH intensity was associated with the structural disruption of okara particles, leading to physically stable homogenates having increasing viscosity. This was mainly attributed to an increase in okara solubility, due to fibre and protein release. The latter resulted almost complete, reaching values up to 90% of the protein originally entrapped in okara matrix. Absorbance at 280 nm, SH groups and dimension of proteins revealed that HPH treatments favoured the extraction of the main protein fractions even if, at the higher intensity level, extracted proteins probably underwent conformational changes and reassembling phenomena. Dear Editor,

We send to your attention the revised form of the research article entitled "Impact of high pressure homogenization on physical properties, extraction yield and biopolymer structure of soybean okara" by Goly Fayaz, Stella Plazzotta, Sonia Calligaris, Lara Manzocco, Maria Cristina Nicoli.

We carefully go through the text and further improved it by applying the minor corrections indicated by the reviewers.

Best regards,

Stella Plazzotta (on behalf of all the authors)

Answers to reviewers:

The authors made corrections but still used some units that are not SI units. All units should be SI units. 1. Viscosity unit is written as "cP" but it should be in "Pa.s" [see line 108 and may be other locations]

The viscosity unit was changed as suggested (line 108).

2. Line 128, 133: "12000 g" should be written as "12000 x g" to avoid confusion with mass gram.

The mistake was corrected (lines 128, 133).

3. Line 137 and table 4 (4th column heading): "M" for molar concentration should be written as "mol/L" to avoid confusion with mega

The molar concentration unit was changed as suggested (lines 137, 147 and Table 4).

4. Line 314: "Agriculture" should be "Agricultural"

The mistake was corrected (line 314).

- HPH is a promising technology for okara valorization
- HPH favours the release of okara proteins and soluble fibers
- Above 50 MPa HPH, physically stable okara dispersions are obtained
- HPH at 150 MPa for 5 passes leads to 90% protein extraction yield

1	Impact of high pressure homogenization on physical properties, extraction yield and biopolymer
2	structure of soybean okara
3	
4	Goly FAYAZ, Stella PLAZZOTTA*, Sonia CALLIGARIS, Lara MANZOCCO, Maria Cristina
5	NICOLI
6	
7	Department of Agricultural, Food, Environmental and Animal Sciences, University of Udine,
8	Italy
9	
10	*e-mail: stella.plazzotta@uniud.it; Tel: +39 0432-558137
11	Abstract
12	The effect of high pressure homogenization (HPH) on soy okara was studied. To this purpose,
13	okara dispersions (10 g/100 g) were subjected to 1 pass at 50, 100 and 150 MPa and to 5 passes
14	at 150 MPa. Samples were analyzed for stability, particle size, microstructure, and viscosity.
15	Results highlighted that the increase of HPH intensity was associated with the structural
16	disruption of okara particles, leading to physically stable homogenates having increasing
17	viscosity. This was mainly attributed to an increase in okara solubility, due to fibre and protein
18	release. The latter resulted almost complete, reaching values up to 90% of the protein originally
19	entrapped in okara matrix. Absorbance at 280 nm, SH groups and dimension of proteins revealed
20	that HPH treatments favoured the extraction of the main protein fractions even if, at the higher
21	intensity level, extracted proteins probably underwent conformational changes and reassembling
22	phenomena.

23 Keywords: Soybean residue, Vegetable by-products, Waste valorization, Protein, Fiber.

24 **1. Introduction**

25 Okara is a general term defining the by-products obtained after milling and extraction of the 26 aqueous fraction of soybeans. Every kilogram of processed soybeans intended for the production 27 of soy milk and tofu generates about 1.1-1.2 kg of wet okara (containing about 80 g/100 g of 28 water) (O'Toole, 1999). Thus, large quantities of okara are today produced and treated as 29 industrial waste with high management costs and related issues (Rado & Dimi, 2010). However, 30 soy okara still contains various valuable components, mainly fibres (14.5-55.4 g/100 g on dry 31 matter basis), proteins (24.5-37.5 g/100 g) and lipids (9.3-22.3 g/100 g) (Jiménez-Escrig, Alaiz, 32 Vioque, & Rupérez, 2010). Okara can be considered an always-available and cheap source of 33 nutrients rather than waste and might be thus turned into a value-added ingredient by the 34 application of proper valorization strategies (Vong & Liu, 2016). On this regard, air-drying of 35 okara is one of the main solutions proposed. The resulting products are ambient stable flours that 36 can be exploited in the production of functional baked goods, cereal products and snacks 37 (Grizotto, Rufi, Yamada, & Vicente, 2010; O'Toole, 1999; Rado & Dimi, 2010). Nevertheless, 38 being water removal a costly process (Vong & Liu, 2016), other valorization strategies should be 39 developed.

40 Recently, the application of unconventional technologies has been proposed as an effective tool 41 to steer the functional properties of plant-based materials. In this context, high pressure 42 homogenization (HPH) has been shown as promising technology able to induce cell disruption, 43 particle size reduction and modification of macromolecule structure in vegetable matrices 44 (Lopez-Sanchez, Svelander, Bialek, Schumm, & Langton, 2011; Tan & Kerr, 2015). These 45 changes are associated with the intense mechanical stresses suffered by the product during the

process. In particular, in the homogenizer, a fluid is pumped through a narrow gap valve by 46 47 means of a pressure intensifier, undergoing intense mechanical forces and elongational stresses 48 at the valve entrance and in the valve gap. On the other hand, turbulence cavitation and impact 49 with the solid surface is expected to occur at the valve outlet (Floury, Bellettre, Legrand, & 50 Desrumaux, 2004). Cell disruption and modification of biopolymer physical properties are 51 reported to be highly dependent on matrix characteristics and HPH intensity in term of operating 52 pressure and number of passes through the homogenization valve (Augusto, Ibarz, & Cristianini, 53 2013).

54 Based on these considerations, the use of HPH on okara dispersions might have different 55 advantages comprising: (i) extraction of proteinaceous and fibrous materials as a consequence of 56 cell disruption and (ii) increase of functionality resulting from biopolymer structure modification 57 and development of novel particle interactions and networking. Preece, Hooshyar, Krijgsman, 58 Fryer and Zuidam (2017) observed an improvement of the extraction yield of proteins from soy 59 okara dispersions after homogenization at 100 MPa for 1 pass. Besides these data, to our 60 knowledge, no information is available on the effect of HPH on okara biopolymer structure and interactions. 61

The aim of the present study was to explore the potentialities of HPH in releasing protein and fibre constituents from soy okara and turn this by-product into an added-value ingredient for the food industry. To this aim, okara dispersions were subjected to HPH treatments and analyzed for physical properties, protein and fibre extractability, and biopolymer structural changes.

66 **2. Materials and methods**

67 **2.1. Material**

A batch of soy okara (1 kg) was kindly provided by a local food processing industry engaged in
the production of soy derivatives based on the application of the "Japanese method" (O'Toole,
1999). Okara was frozen at -18 °C before using in the experiments.

71 **2.2. Preparation of okara dispersion**

Soy okara was dispersed in deionized water at 10 g/100 g concentration under magnetic stirring for 30 min at 20 °C and subsequently pre-homogenized with a high-speed blender (Polytron, PT 3000, Littau, Swiss) at 8000 rpm for 1 min to increase the homogeneity of okara distribution in aqueous phase as well as avoiding valve clogging during the subsequent high pressure homogenization.

77 **2.3. High pressure homogenization (HPH)**

Okara dispersion was treated by a continuous lab-scale high-pressure homogenizer (Panda Plus 2000, GEA Niro Soavi, Parma, Italy) supplied with two Re+ type tungsten carbide homogenization valves, with a flow rate of 10 L/h. Aliquots of 150 mL of okara dispersion at 20 °C were subjected to single-pass at a pressure of 50, 100 and 150 MPa and at 5 passes at 150 MPa. Sample temperature was measured immediately after HPH treatment (Ellab, Hillerød, Denmark). After treatments, all the samples were cooled at room temperature (20 °C) by immersion into an ice bath under gentle mixing. Untreated okara dispersion was used as control.

85 **2.4. Chemical composition**

Moisture, fat, protein and ash content of fresh okara were analyzed by the reference AOAC (1997). Soluble (SDF) and insoluble dietary fibre (IDF) of fresh okara, untreated dispersion and HPH-treated okara dispersions were also analyzed according to AOAC method using a total dietary fibre (TDF) assay kit (TDF-100A, Sigma-Aldrich, St. Louis, Missouri, USA). The SDF/TDF and IDF/TDF ratio were reported as g/100 g fibre. Total polyphenolic content (TPC)

91 was determined according to Singleton and Rossi (1965) method by using Folin-Ciocalteau 92 reagent. The absorbance was read at 750 nm using UV-Vis spectrophotometer (Shimadzu UV-93 2501PC, UV-Vis recording spectrophotometer, Shimadzu Corporation, Kyoto, Japan). Results 94 were expressed as mg of gallic acid equivalents (GAE) per 100 g of sample.

95 **2.5.** Physical Stability

96 To monitor the physical stability of okara dispersion treated by HPH, samples were transferred 97 into a 20 mL glass tube and stored up to 30 days at 4 °C. Images were acquired using an image 98 acquisition cabinet (Immagini & Computer, Bareggio, Italy) equipped with a digital camera 99 (EOS 550D, Canon, Milan, Italy). Images were saved in *jpeg* format resulting in 3456×2304 100 pixels.

101 2.6. pH measurement

102 The pH of samples was recorded at 20 °C by using a Basic 20 pH meter (Crison Instruments,

103 S.A., Barcelona, Spain).

104 2.7. Particle size distribution

105 The particle size distribution of samples was measured by using the dynamic light scattering 106 instrument Zetasizer Nano ZS (Malvern, Milan, Italy). Samples were diluted (1 mL/10 mL) in 107 deionized water prior to the analysis to avoid multiple scattering effects. Observation angle, 108 solution refractive index and viscosity were set at 173°, 1.333 and 0.00088 Pa·s, respectively, 109 corresponding to the values of pure water at 25 °C. Mean particle size diameter and peak area 110 corresponding to intensity distribution were measured.

111 **2.8.** Optical and polarized light microscopy

112 One drop of okara dispersion was placed on a glass slide, covered with a cover slide and 113 observed at 20 °C using a Leica DM 2000 optical microscope (Leica Microsystems, Heerbrugg,

Switzerland). The images were taken at 200× magnification using a Leica EC3 digital camera
and elaborated with the Leica Suite Las EZ software (Leica Microsystems, Heerbrugg,
Switzerland).

117 **2.9. Viscosity**

118 Viscosity determination was performed at 20 °C by a Haake Rheostress 6000 (Thermo 119 Scientific, Rheostress, Haake, Germany), connected to a thermostatic controller. The flow 120 behaviour of samples was measured using concentric cylinder geometry by recording apparent 121 viscosity against shear rate from 0.1 to 200 s⁻¹. The relationship between apparent viscosity and 122 the shear rate was described by Ostwald-de-Waele model, (eq. 1):

123
$$\eta_{app} = K \cdot \dot{\gamma}^{n-1}$$
 eq. 1

124 where η_{app} is the apparent viscosity (Pa·s); $\dot{\gamma}$, the shear rate (s⁻¹); *K*, the consistency index (Pa· 125 sⁿ) and *n*, the flow behaviour index (dimensionless). Model fitting was performed using the 126 software Haake Rheowin v.4.60.0001 (Thermo Fisher Scientific).

127 **2.10. Protein extraction yield**

Okara dispersions were centrifuged at $12000 \times g$ for 10 min at 4 °C (Beckman, Avanti TM J-25, Palo Alto, CA, USA). The protein content of the supernatant was determined by the Kjeldahl method (AOAC, 1997). Protein extraction yield (g/100 g protein) was calculated as the ratio between the proteins in the supernatant and the total protein content.

132 **2.11. Absorbance at 280 nm**

133 Okara dispersions were centrifuged at $12000 \times g$ for 10 min at 4 °C. The supernatant was 134 collected, diluted (1 mL/200 mL) and UV absorbance was measured at 280 nm using UV-2501

- 135 PC UV-VIS spectrophotometer (Shimadzu, Kyoto, Japan).
- 136 **2.12. Determination of free sulfhydryl group content**

137 The concentration (μ molL⁻¹g⁻¹) of free sulfhydryl groups (SH) of the okara dispersions was 138 determined using Ellman's reagent (5',5-dithiobis (2-nitrobenzoic acid), DTNB) (Sigma– 139 Aldrich, Milan, Italy) according to the method of Panozzo, Manzocco, Lippe and Nicoli (2016).

140 **2.13. HPLC-gel permeation analysis**

141 Okara dispersions were analyzed using an HPLC system Varian ProStar (model 230, Varian 142 Associates Ltd., Walnut Creek, CA, USA) equipped with a UV/VIS detector. Two columns were 143 used: BioSep-SEC-S 3000, 30 cm length, 7.80 mm internal diameter and BioSep-SEC-S 2000, 144 30 cm length, 7.80 mm internal diameter, 5 µm granulometry, 125 Å porosity with separation 145 range among 5 and 670 kDa. Samples were filtered on 0.2 µm porosity filters (Econofilters, 146 Cenusco sul Naviglio, Italy). Injection volume was 20 µL and the mobile phase, delivered at a flow rate of 0.6 mL min⁻¹, was 1 mol/L potassium phosphate buffer pH 7.0 in isocratic 147 148 conditions. The detection wavelength was 220 nm. Catalase (250 kDa), glucose oxidase (160 149 kDa), lipoxidase (108 kDa), lysozyme (14.3 kDa) and insulin (5.8 kDa) (Sigma-Aldrich, USA) 150 were used as calibration standards. Peaks integration was performed by CHROM-CARD 151 software (v. 1.19).

152 **2.14. Data analysis**

All determinations were expressed as the mean \pm standard deviation (SD) of at least three repeated measurements from two experiment replicates (n = 2). Statistical analysis was performed by using R v. 2.15.0 (The R Foundation for Statistical Computing). Bartlett's test was used to check the homogeneity of variance, one-way ANOVA was carried out and the Tukey test was used to determine statistically significant differences among means (p<0.05).

158 **3. Results and discussion**

159 Table 1 shows the chemical composition of okara obtained from the waste stream of soy milk 160 processing. Okara presented a high moisture content and was particularly rich in insoluble fibre, 161 proteins and lipids. Interestingly, it also contained significant amounts of polyphenols. Obtained 162 compositional data are in the range of proximal composition analysis reported in the literature 163 (Vong & Liu, 2016). The compositional variability of okara can be associated with the soybean 164 starting material characteristics used in the production of soy derivatives as well as to the process 165 applied during the soy milk production. In any case, significant quantities of valuable 166 compounds still remain in this by-product, mainly entrapped in the fibrous cellular material.

A 10 g/100 g okara aqueous dispersion was subjected to HPH by applying pressures up to 150 MPa and number of passes up to 5. Sample temperature increased with the treatment intensity up to 63 °C (Supplementary Table S1), due to the mechanical stresses suffered by the sample during the passage through the homogenization valve (Hayes & Kelly, 2003).

171 The visual observation of the samples revealed that the physical stability of HPH-treated 172 dispersions was higher than that of the untreated one, which immediately separated after 173 preparation. By contrast, after 1 day-storage, HPH-treated dispersions showed no evident phase 174 separation, with the only exception of the samples treated at 50 MPa, which showed a beginning 175 of phase separation (Supplementary Figure S1). However, all samples gradually revealed phase 176 separation within 30 days, except for the okara sample subjected to 5 passes at 150 MPa. Thus, 177 the stability of okara dispersion increased with the HPH intensity. These results can be attributed 178 to HPH-induced modifications of okara constituent structure.

To study HPH-induced modifications, the particle size distribution of samples was determined (Figure 1). Dispersions treated at 50 MPa showed a trimodal distribution, with about 71%, 26% and 3% of the particles presenting a mean diameter around 200 nm, 750 nm and 5000 nm,

182 respectively (Supplementary Table S2). The application of increasing pressure led to a 183 progressive particle downsizing with the disappearance of the intermediate peak, a reduction of 184 the largest particles and a concomitant increase of particles with 350 nm mean diameter. These 185 results agree with literature data (Augusto, Ibarz, & Cristianini, 2012; Song, Zhou, Fu, Chen, & 186 Wu, 2013) and can be attributed to the intense mechanical stresses delivered by HPH, able to 187 disrupt soy components. The disruptive ability of HPH can be well noted observing the 188 microscopy images of samples (Figure 2). Untreated okara dispersion showed a dense 189 microstructure with colloidal material dispersed throughout the aqueous environment. A portion 190 of this material is represented by partially denatured proteins. Okara is actually produced by 191 heating soybeans at 80 °C, which is a temperature higher than that required for thermal 192 denaturation of the main soy storage protein β-conglycinin (74-77 °C) (Wang, Qin, Sun, & Zhao, 193 2014). Untreated okara also showed clearly visible aggregates of fragmented fibrous cell 194 material. As reported by Preece et al. (2015), okara is composed of intact cotyledon cells, walls 195 of disrupted cells and other protein-polysaccharide agglomerated materials. In agreement with 196 literature data, these materials partially retained the original crystalline structures, as well 197 highlighted by polarized light microscopy images (Liu, Chien, & Kuo, 2013).

HPH treatment at 50 MPa induced the breakage of these large aggregates into smaller ones, resulting in a more homogeneous particle dispersion (Figure 2). The further increase of homogenization pressure caused a progressive reduction of dimension, number and crystallinity of particles, possibly due to an increase of their solubility upon HPH (Figure 2).

To study the macroscopic effect of these microstructural changes, flow curves of okara dispersions were determined. Data were elaborated with the Ostwald-de-Waele model (R>0.94) and the estimated parameters are reported in Table 2. Except from sample treated at 50 MPa, all

samples exhibited a shear thinning flow behaviour (n < 1) and the application of more intense 205 206 treatments increased both consistency index (K) and apparent viscosity (η_{100}). Samples treated at 207 150 MPa for 5 passes revealed an apparent viscosity about 3 times higher than that of the sample 208 treated at 100 MPa. This result can be due to different phenomena. From one side, sample 209 viscosity can rise as a consequence of the increased system crowding, associated with the 210 progressively higher number of small particles; from the other side HPH-induced cell breakage is 211 expected to promote extraction of okara components, leading to a higher content of soluble 212 materials in the dispersions (Preece et al., 2017). To confirm this hypothesis and better 213 understand the nature of the extracted material, samples were analyzed for total (TDF), insoluble 214 (IDF) and soluble (SDF) dietary fibre (Table 3). TDF content decreased with the increase of 215 HPH intensity. A concomitant increase in the ratio between SDF and TDF was also observed. 216 The redistribution of fibres in favour of the soluble fraction has been reported for different 217 vegetable matrices subjected to homogenization treatments. To this regard, Chau et al. (2007) 218 and Hu, Zhang, Adhikari and Liu (2015) reported an increase in soluble/insoluble fibre ratio of 219 carrot pomace and wheat bran upon the application of microfluidization and high pressure 220 homogenization at 80 and 100 MPa, respectively. The observed changes in fibre content and 221 solubility (Table 3) can be attributed to the progressive rupture of the fibrous aggregates upon 222 HPH, favouring the solubilization of okara polysaccharides. This structure breakage was also 223 associated with a progressive pH decrease, which can be attributed to the release of organic acids 224 and polyphenols originally held in cotyledon cells (Table 3).

Moreover, protein extraction yield dramatically increased from 11 to about 90 g/100 g protein with the increase of HPH pressure and number of passes (Table 4). Okara proteins are represented by proteins that were not extracted during the soy milk process, due to their

228 entrapment in sovbean cells or engagement in protein-fibre complexes. It is thus likely that HPH 229 allowed the release of proteins, due to the physical rupture of both cells and polymeric 230 complexes. Proteins were analyzed for conformational changes by determining the absorbance at 231 280 nm and free sulfhydryl (SH) group content (Table 4). Absorbance at 280 nm and free SH 232 groups of proteins in okara dispersions significantly increased with HPH pressure. This increase 233 is consistent with the change in protein content and conformation, resulting in increased 234 exposure of aromatic and SH groups of amino acids on the protein surface and in the rupture of 235 S-S bonds within protein molecules. However, the application of the most intense treatment (5 236 passes at 150 MPa) was associated with a decrease in both these indexes. This is generally 237 associated with reassembling phenomena of extracted proteins, probably by both inter- and intra-238 molecular interactions (Yu, 2018). To confirm this hypothesis, okara dispersions were analyzed 239 by HPLC-gel permeation analysis (Table 4). The chromatogram relevant to untreated okara 240 dispersion showed 4 main protein fractions (19, 70, 110, 290 kDa). The most abundant protein 241 fraction (70 kDa) can be attributed to α and α ' subunits of β -conglycinin (Cole & Cousin, 1994; 242 Stanojevic, Barac, Pesic, & Vucelic-Radovic, 2012). The fraction corresponding to 19 kDa can 243 be associated with the basic polypeptide of glycinin. The largest protein fraction (290 kDa) was 244 represented by soy 11S globulin which is made up of acid and alkaline sub-units (Chen, Liu, Wu, 245 & Ma, 2015). Finally, lipoxygenase was also present (110 kDa) (Cole & Cousin, 1994; 246 Stanojevic et al., 2012). HPH treatments resulted in a progressive area increase of peaks 247 corresponding to β -conglycinin, lipoxygenase and globulin, supporting the hypothesis of protein 248 release from the fibrous matrix upon HPH. However, in the samples subjected to 150 MPa for 1 249 and 5 passes, the polypeptide band of glycinin was no more present, suggesting its embedding 250 into multimeric aggregates. This result might be consistent with the occurrence of a new peak,

not observed in the untreated sample (166 kDa), probably resulting from protein reassembling, as
also suggested by the decrease in SH groups and absorbance at 280 nm.

4. Conclusions

254 Results obtained in this study highlighted that HPH can be used as an efficient tool to induce a 255 progressive disruption of okara native structure, leading to the release of entrapped proteins and 256 soluble fibres. HPH might thus be applied as a pretreatment to favour extraction of proteins and 257 fibres, allowing okara by-product to be turned into added-value ingredients for the food industry. 258 Moreover, the possibility to directly exploit HPH-treated okara dispersions to develop physically 259 stable soy-based beverages cannot be underestimated. The valorization of okara by its complete 260 re-use in novel functional products could actually represent an interesting market opportunity. 261 Although the case here presented was relevant to soy okara, obtained results could be easily 262 extended to by-products deriving from vegetable sources other than soybeans, largely broaden 263 their applicability and impact. This effort is worth making considering that HPH is being increasingly introduced as processing operation in different industrial contexts, showing good 264 265 feasibility and cost-effectiveness.

266 **Conflict of interest**

267 The authors have declared no conflicts of interest.

268 Acknowledgements

S. Calligaris and L. Manzocco conceived the study in conjunction with M.C. Nicoli; G. Fayaz
carried out the experiments and, in conjunction with S. Plazzotta, wrote the first paper draft. All
authors participated in manuscript revision and discussion, coordinated and critiqued by S.
Calligaris, L. Manzocco and M.C. Nicoli.

273 Authors are grateful to Deborah Lizzi and Anna De Monte for contributing to analyses.

274 **References**

- AOAC. (1997). Official Methods of Analysis. Washington, DC: Association of Official
 Analytical Chemists.
- 277 Augusto, P. E. D., Ibarz, A., & Cristianini, M. (2012). Effect of high pressure homogenization
- (HPH) on the rheological properties of tomato juice: Time-dependent and steady-state
 shear. *Journal of Food Engineering*, *111*, 570–579.
- 280 Augusto, P. E. D., Ibarz, A., & Cristianini, M. (2013). Effect of high pressure homogenization
- (HPH) on the rheological properties of tomato juice: Viscoelastic properties and the CoxMerz rule. *Journal of Food Engineering*, *114*, 57–63.
- * Chau, C. F., Wang, Y. T., & Wen, Y. L. (2007). Different micronization methods significantly
 improve the functionality of carrot insoluble fibre. *Food Chemistry*, *100*, 1402–1408. (This
 paper elucidates the effects of HPH on the properties of vegetable fibres)
- Chen, L., Liu, D., Wu, G., & Ma, Y. (2015). Soy 11S globulin acid subunits as the novel food
 polymer carrier. *International Journal of Polymer Science*, 2015, 1–9.
- Cole, K. D., & Cousin, S. L. (1994). Size exclusion chromatography. *Analytical Chemistry*, 66,
 595R–620R.
- * Floury, J., Bellettre, J., Legrand, J., & Desrumaux, A. (2004). Analysis of a new type of high
- 291 pressure homogeniser. A study of the flow pattern. *Chemical Engineering Science*, 59, 843–
- 292 853. (This paper gives valuable information about the main mechanisms of HPH)
- 293 Grizotto, R. K., Rufi, C. R. G., Yamada, E. A., & Vicente, E. (2010). Evaluation of the quality of
- a molded sweet biscuit enriched with okara flour. *Food Science and Technology*(*Campinas*), 30, 270–275.
- Hayes, M. G., & Kelly, A. L. (2003). High pressure homogenisation of raw whole bovine milk

- (a) effects on fat globule size and other properties. *Journal of Dairy Research*, 70, 297-305.
- Hu, R., Zhang, M., Adhikari, B., & Liu, Y. (2015). Effect of homogenization and ultrasonication
- on the physical properties of insoluble wheat bran fibres. *International Agrophysics*, 29,
 423–432.
- Huang, C. C., Chen, Y. F., & Wang, C. C. R. (2010). Effects of micronization on the physicochemical properties of peels of three root and tuber crops. *Journal of the Science of Food and Agriculture*, *90*, 759–763.
- Jiménez-Escrig, A., Alaiz, M., Vioque, J., & Rupérez, P. (2010). Health-promoting activities of
 ultra-filtered okara protein hydrolysates released by in vitro gastrointestinal digestion:
 Identification of active peptide from soybean lipoxygenase. *European Food Research and Technology*, 230, 655–663.
- Liu, H. H., Chien, J. T., & Kuo, M. I. (2013). Ultra high pressure homogenized soy flour for tofu
 making. *Food Hydrocolloids*, *32*, 278–285.
- 310 Lopez-Sanchez, P., Svelander, C., Bialek, L., Schumm, S., & Langton, M. (2011). Rheology and
- 311 microstructure of carrot and tomato emulsions as a result of high-pressure homogenization
- 312 conditions. *Journal of Food Science*, 76, E130- E140.
- 313 * O'Toole, D. K. (1999). Characteristics and use of okara, the soybean residue from soymilk
- 314 production a review. Journal of Agricultural and Food Chemistry, 47, 363–371. (This
- 315 paper reviews traditional okara valorisation strategies)
- Panozzo, A., Manzocco, L., Lippe, G., & Nicoli, M. C. (2016). Effect of pulsed light on structure
 and immunoreactivity of gluten. *Food Chemistry*, *194*, 366-372.
- 318 Preece, K. E., Drost, E., Hooshyar, N., Krijgsman, A., Cox, P. W., & Zuidam, N. J. (2015).
- 319 Confocal imaging to reveal the microstructure of soybean processing materials. *Journal of*

- *Food Engineering*, *147*, 8–13.
- * Preece, K. E., Hooshyar, N., Krijgsman, A. J., Fryer, P. J., & Zuidam, N. J. (2017).
 Intensification of protein extraction from soybean processing materials using hydrodynamic
- 323 cavitation. Innovative Food Science and Emerging Technologies, 41, 47–55. (This paper
- 324 gives valuable information about the effect of HPH on protein extraction from soybeans)
- Rado, O., & Dimi, E. (2010). Valorization of wet okara, a value-added functional ingredient, in a
 coconut-based baked snack. *Cereal Chemistry*, *30*, 256–262.
- Singleton, V., & Rossi, J. A. (1965). Colorimetry of total phenolics with phosphomolybdicphosphotungstic acid reagents. *American Journal of Enology and Viticulture*, *16*, 144–158.
- 329 * Song, X., Zhou, C., Fu, F., Chen, Z., & Wu, Q. (2013). Effect of high-pressure homogenization
- 330 on particle size and film properties of soy protein isolate. *Industrial Crops and Products*,
- 43, 538–544. (This paper presents the effects of HPH on selected physical and functional
 properties of soy protein isolate)
- Stanojevic, S. P., Barac, M. B., Pesic, M. B., & Vucelic-Radovic, B. V. (2012). Composition of
 proteins in okara as a byproduct in hydrothermal processing of soy milk. *Journal of Agricultural and Food Chemistry*, 60, 9221–9228.
- Tan, J., & Kerr, W. L. (2015). Rheological properties and microstructure of tomato puree subject
 to continuous high pressure homogenization. *Journal of Food Engineering*, *166*, 45–54.
- Vong, W. C., & Liu, S. Q. (2016). Biovalorisation of okara (soybean residue) for food and
 nutrition. *Trends in Food Science and Technology*, *52*, 139–147.
- 340 Wang, T., Qin, G. X., Sun, Z. W., & Zhao, Y. (2014). Advances of research on glycinin and β-
- 341 conglycinin: a review of two major soybean allergenic proteins. *Critical Reviews in Food*
- *Science and Nutrition*, *54*, 850–862.

Yu, C. (2018). Effects of high-pressure homogenisation on structural and functional properties of
mussel (Mytilus edulis) protein isolate. *International Journal of Food Science and Technology*, 53, 1157–1165.

347 **Figure Captions**

- Figure 1. Particle size distribution of 10 g/100 g okara aqueous dispersions subjected to HPH
 treatments at 50, 100, 150 MPa pressures and 150 MPa with 5 passes.
- 350
- 351 Figure 2. Optical and polarized light microscopy of 10 g/100 g untreated okara aqueous
- dispersion and samples subjected to HPH treatments at 50, 100, 150 MPa pressures and 150 MPa
- 353 with 5 passes.

 Table 1. Chemical composition of soy okara

Parameter	Amount	
Moisture (g/100 g)	76.22 ± 0.40	
Protein (g/100 g)	6.53 ± 0.01	
Lipid (g/100 g)	1.57 ± 0.06	
Total dietary fiber (g/100 g)	12.50 ± 0.05	
Insoluble fiber (g/100 g)	12.19 ± 0.04	
Soluble fiber (g/100 g)	0.31 ± 0.01	
Total phenolic content (mg GAE/g dry matter)	1.92 ± 0.04	
Ash (g/100 g)	0.59 ± 0.05	

Table 2. Flow behavior index (*n*), apparent viscosity at 100 s⁻¹ (η_{100}), consistency index (*K*) of 10 g/100 g okara aqueous dispersions subjected to HPH treatments at 50, 100, 150 MPa pressures and 150 MPa with 5 passes.

HPH treatment	п	η_{100} (Pa's)	K (Pa [·] s ⁿ)
Untreated	n.a.		
50 MPa	1.054 ± 0.031^a	0.001 ± 0.00^{c}	$0.001\pm0.0^{\text{c}}$
100 MPa	0.512 ± 0.022^{b}	$0.010\pm\!\!0.001^b$	0.111 ±0.020 ^b
150 MPa	0.494 ± 0.001^{b}	0.012 ± 0.000^{b}	0.140 ± 0.003^{b}
150 MPa-5 passes	$0.309\pm0.025^{\rm c}$	0.029 ± 0.000^a	$0.803\pm0.104^{\text{a}}$

Data points Means \pm SD (n = 2); n.a. not analyzed since immediately separating; ^{a, b, c} In the same column, means indicated by different letters are significantly different (p<0.05).

Table 3. pH, total dietary fiber (TDF), insoluble dietary fiber (IDF) and soluble dietary fiber (SDF) /TDF ratio and total phenolic compounds (TDC) of 10 g/100 g untreated okara aqueous dispersion and samples subjected to HPH treatments at 50, 100, 150 MPa pressures and 150 MPa with 5 passes.

	-11	TDF	IDF/TDF	SDF/TDF	TPC
HPH treatment	рн	(g/100 g dm)	(g/100 g fiber)	(g/100 g fiber)	(mg GAE/ g dm)
Untreated	$8.29\pm0.06^{\rm a}$	$52.57\pm0.18^{\rm a}$	97.51 ± 0.061^{a}	2.49 ± 0.06^{c}	2.58 ± 0.03^{c}
50 MPa	8.22 ± 0.02^a	51.49 ± 2.45^a	96.37 ± 0.30^{ab}	3.63 ± 0.30^{bc}	$5.08\pm0.06^{\rm b}$
100 MPa	8.11 ± 0.04^{a}	45.82 ± 1.06^{ab}	$94.77\pm0.99^{\text{b}}$	5.23 ± 0.99^{b}	5.11 ± 0.05^{b}
150 MPa	$7.90\pm0.05^{\text{b}}$	47.56 ± 3.14^{ab}	94.93 ± 0.42^{b}	5.07 ± 0.42^{b}	5.31 ± 0.05^{b}
150 MPa-5 passes	$7.67\pm0.02^{\rm c}$	41.82 ± 2.52^{b}	$89.28\pm0.32^{\rm a}$	10.72 ± 0.32^{a}	8.08 ± 0.35^a

Data points Means \pm SD (n = 2); ^{a, b, c, d} In the same column, means indicated by different letters are

significantly different (p<0.05).

Table 4. Protein extraction yield, absorbance at 280 nm, free sulfhydryl groups and peak areas relevant to proteins with a molecular weight of 19, 70, 110, 166 and 290 kDa of 10 g/100 g untreated okara aqueous dispersion and samples subjected to HPH treatments at 50, 100, 150 MPa pressures and 150 MPa with 5 passes.

HPH	Protein extraction yield	Absorbance at Free 280 nm	Free sulfhydryl groups	Peak area of proteins with different MW (arbitrary absorbance unit $\times 10^4$)				
treatment	(g/100 g protein)		(µmolL [*] g [*])	19 kDa	70 kDa	110 kDa	166 kDa	290 kDa
Untreated	11.49 ± 0.19^{d}	$0.224\pm0.014^{\text{d}}$	$15.77\pm0.47^{\text{c}}$	$51.7 \pm 16.5^{\text{b}}$	$189.7\pm31.0^{\text{b}}$	53.1 ± 0.3^{c}	n.d.	54.9 ± 0.2^{d}
50 MPa	$37.11 \pm 1.09^{\circ}$	$0.428\pm0.002^{\rm c}$	51.42 ± 2.93^a	886.8 ± 96.81^a	$168.1\pm42.7^{\text{b}}$	200.4 ± 42.7^{bc}	n.d.	321.1 ± 8.3^{bc}
100 MPa	61.14 ± 1.16^{b}	0.653 ± 0.004^{a}	51.67 ± 3.74^a	$672.6\pm54.9^{\text{a}}$	$63.9\pm29.9^{\text{b}}$	$125.4\pm33.4^{\rm c}$	n.d.	182.9 ± 76.5^{cd}
150 MPa	65.94 ± 2.70^{b}	0.646 ± 0.006^a	47.49 ± 0.87^a	n.d.	$290.4\pm82.4^{\text{b}}$	374.7 ± 82.4^{b}	$111.3\pm15.5^{\rm a}$	433.8 ± 64.4^{b}
150 MPa-5 passes	89.69 ± 2.24^{a}	0.577 ± 0.002^{b}	$20.70 \pm 1.13^{\text{b}}$	n.d.	$830.9\pm3.3^{\text{a}}$	$620.3\pm3.3^{\text{a}}$	$907.7 \pm 11.9^{\rm a}$	$831.0\pm63.0^{\text{a}}$

Data points Means \pm SD (n = 2); MW molecular weight; n.d. not detected; ^{a, b, c, d} In the same column, means indicated by different letters

are significantly different (p<0.05).







Figure 2

HPH treatment	Optical microscopy	Polarized light microscopy		
Untreated		200 μm		
50 MPa	200 pm	200 μm		
100 MPa	200 µm	200 μm		
150 MPa	200 µm? ->.	200 μm		
150 MPa —5 passes	200 µm	200 µm		

Supplementary Material Click here to download Supplementary Material: Suplementary Tables.docx Supplementary Material Click here to download Supplementary Material: Supplementary Figure-Fayaz.docx Conflict of Interest and Authorship Conformation Form

The Authors declare that:

- ✓ All authors have participated in (a) conception and design, or analysis and interpretation of the data; (b) drafting the article or revising it critically for important intellectual content; and (c) approval of the final version.
- ✓ This manuscript has not been submitted to, nor is under review at, another journal or other publishing venue.
- ✓ The authors have no affiliation with any organization with a direct or indirect financial interest in the subject matter discussed in the manuscript