



Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector



ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 7 December 2015

Received in revised form 18 January 2016

Accepted 18 January 2016

Available online 20 January 2016

Editor: W.-D. Schlatter

ABSTRACT

This Letter describes a model-agnostic search for pairs of jets (dijets) produced by resonant and non-resonant phenomena beyond the Standard Model in 3.6 fb^{-1} of proton–proton collisions with a centre-of-mass energy of $\sqrt{s} = 13$ TeV recorded by the ATLAS detector at the Large Hadron Collider. The distribution of the invariant mass of the two leading jets is examined for local excesses above a data-derived estimate of the smoothly falling prediction of the Standard Model. The data are also compared to a Monte Carlo simulation of Standard Model angular distributions derived from the rapidity of the two jets. No evidence of anomalous phenomena is observed in the data, which are used to exclude, at 95% CL, quantum black holes with threshold masses below 8.3 TeV, 8.1 TeV, or 5.1 TeV in three different benchmark scenarios; resonance masses below 5.2 TeV for excited quarks, 2.6 TeV in a W' model, a range of masses starting from $m_{Z'} = 1.5$ TeV and couplings from $g_q = 0.2$ in a Z' model; and contact interactions with a compositeness scale below 12.0 TeV and 17.5 TeV respectively for destructive and constructive interference between the new interaction and QCD processes. These results significantly extend the ATLAS limits obtained from 8 TeV data. Gaussian-shaped contributions to the mass distribution are also excluded if the effective cross-section exceeds values ranging from approximately 50–300 fb for masses below 2 TeV to 2–20 fb for masses above 4 TeV.

© 2016 CERN for the benefit of the ATLAS Collaboration. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

The centre-of-mass energy of proton–proton (pp) collisions at the Large Hadron Collider (LHC) at CERN has been increased from $\sqrt{s} = 8$ TeV to $\sqrt{s} = 13$ TeV, opening a new energy regime to observation.

New particles produced in LHC collisions must interact with the constituent partons of the proton. Consequently, the new particles can also produce partons in the final state. Final states including partons often dominate in models of new phenomena beyond the Standard Model (BSM). The partons shower and hadronize, creating collimated jets of particles carrying approximately the four-momenta of the partons. The total production rates for two-jet (dijet) BSM signals can be large, allowing searches for anomalous dijet production to test for such signals with a relatively small data sample, even at masses that constitute significant fractions of the total hadron collision energy.

In the Standard Model (SM), hadron collisions produce jet pairs primarily via $2 \rightarrow 2$ parton scattering processes governed by quantum chromodynamics (QCD). Far above the confinement scale of QCD (≈ 1 GeV), jets emerge from collisions with large transverse

momenta, p_T , perpendicular to the direction of the incident partons. For the data analysed here, QCD predicts a smoothly falling dijet invariant mass distribution, m_{jj} . New states decaying to two jets may introduce localized excesses in this distribution. In QCD, due to t -channel poles in the cross-sections for the dominant scattering processes, most dijet production occurs at small angles θ^* , defined as the polar angle in the dijet centre-of-mass frame.¹ Many theories of BSM physics predict additional dijet production with a significant population of jets produced at large angles with respect to the beam; for reviews see Refs. [1,2]. The search reported in this Letter exploits these generic features of BSM signals in an analysis of the m_{jj} and angular distributions.

As is common, a rapidity $y = \ln((E + p_z)/(E - p_z))/2$ is defined for each of the outgoing partons, where E is its energy and p_z is the component of its momentum along the beam line.² Each incoming parton carries a fraction (Bjorken x) of the mo-

¹ Since, experimentally, the two partons cannot be distinguished, θ^* is always taken between 0 and $\pi/2$ with respect to the beam.

² ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam line. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms

* E-mail address: atlas.publications@cern.ch.

mentum of the proton. A momentum imbalance between the two partons boosts the centre-of-mass frame of the collision relative to the laboratory frame along the z direction by $y_B = \ln(x_1/x_2)/2 = (y_3 + y_4)/2$, where y_B is the rapidity of the boosted centre-of-mass frame, x_1 and x_2 are the fractions of the proton momentum carried by each parton and y_3 and y_4 are the rapidities of the outgoing partons in the detector frame. Differences between two rapidities are invariant under such Lorentz boosts, hence the following function of the rapidity difference $y^* = (y_3 - y_4)/2$ between the two jets,

$$\chi = e^{2|y^*|} \sim \frac{1 + \cos \theta^*}{1 - \cos \theta^*},$$

is the same in the detector frame as in the partonic centre-of-mass frame. In the centre-of-mass frame, the two partons have rapidity $\pm y^*$.

The variable χ is constructed such that in the limit of massless parton scattering, and when only t -channel scattering contributes to the partonic cross-section, the angular distribution $dN/d\chi$ is approximately independent of χ . The measured shapes of the observed $dN/d\chi$ distributions differ from the parton-level distributions because the observed distributions convolve the parton-level distributions with non-uniform parton momentum distributions in x_1 and x_2 . Restricting the range of two-parton invariant mass and placing an upper cut on y_B reduces these differences.

Prior searches of dijet distributions with lower-energy hadron collisions at the S \bar{p} pS [3–5], the Tevatron [6,7], and the LHC at $\sqrt{s} = 7\text{--}8$ TeV [8–19] and recently at 13 TeV [20], did not find BSM phenomena. This Letter presents an analysis of 3.6 fb^{-1} of proton–proton collision LHC data at $\sqrt{s} = 13$ TeV recorded by the ATLAS detector, focusing on the distributions of m_{jj} and χ with methods based on those used by Refs. [17,19].

2. The ATLAS detector

The ATLAS experiment [21] at the LHC is a multi-purpose particle detector with a forward–backward symmetric cylindrical geometry with layers of tracking, calorimeter, and muon detectors over nearly the entire solid angle around the pp collision point. The directions and energies of high- p_T hadronic jets are measured using silicon tracking detectors and straw tubes detecting transition radiation, finely segmented hadronic and electromagnetic calorimeters, and a muon spectrometer. A steel/scintillator-tile calorimeter provides hadronic energy measurements for the pseudorapidity range $|\eta| < 1.7$. A lead/liquid-argon (LAr) calorimeter provides electromagnetic (EM) energy measurements with higher granularity within the region $|\eta| < 3.2$. The end-cap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The first-level trigger is implemented in hardware and uses a subset of the detector information to reduce the accepted rate to 100 kHz. This is followed by a software-based trigger that reduces the rate of events recorded to 1 kHz.

3. Data selection

Collision events are recorded using a trigger requiring the presence of at least one jet reconstructed in the software-based trigger with a p_T of at least 360 GeV. Groups of contiguous calorimeter cells (topological clusters) are formed based on the significance of

of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. It is equivalent to the rapidity for massless particles.

the energy deposit over calorimeter noise [22]. Topological clusters are grouped into jets using the anti- k_t algorithm [23,24] with radius parameter $R = 0.4$. Jet four-momenta are computed by summing over the topological clusters that constitute each jet, treating the energy of each cluster as a four-momentum with zero mass. The reconstruction efficiency for jets with p_T above 20 GeV is 100%. Jet calibrations derived from $\sqrt{s} = 13$ TeV simulation, and collision data taken at $\sqrt{s} = 8$ TeV and $\sqrt{s} = 13$ TeV, are used to correct the jet energies and directions to those of the particles from the hard-scatter interaction. This calibration procedure, described in Refs. [25–27], is improved by a data-derived correction to the relative calibration of jets in the central and the forward regions. The dijet mass resolution is 2.4% and 2%, for dijet masses of 2 and 5 TeV respectively. The jet energy scale uncertainty from 8 TeV data is complemented by systematic uncertainties covering the differences between 8 TeV and 13 TeV data. The total jet energy scale uncertainty is 1% for central jets with p_T of 500 GeV, and 3% for jets of 2 TeV. Analysis of jet data at 13 TeV using the *in situ* techniques described in Ref. [28] confirms the jet calibration and uncertainty estimates. Beyond the p_T range of the *in situ* techniques, for the quantities used to calibrate jets as well as other kinematic quantities, the data agree with simulation within quoted uncertainties.

Events containing at least two jets are selected for offline analysis if the p_T of the leading and subleading jets is greater than 440 GeV and 50 GeV respectively. This requirement ensures a trigger efficiency of at least 99.5% for collisions with $|y^*| < 1.7$ and removes a negligible number of events from unbalanced dijet events originating from additional interactions within the same bunch crossing or jet resolution tails. Events are discarded from the search if any of the three leading jets with $p_T > 50$ GeV is compatible with non-collision background or calorimeter noise [29].

4. Simulated collisions

For this search, events from QCD processes are simulated with PYTHIA 8 [30] using the A14 [31] set of tuned parameters for the underlying event and the leading-order NNPDF2.3 [32] parton distribution functions (PDFs). The renormalization and factorization scales are set to the average p_T of the two leading jets. Detector effects are simulated using GEANT4 [33] within the ATLAS software infrastructure [34]. The same software used to reconstruct data was also used to reconstruct simulated events. The simulated events are used to predict the angular distribution from QCD processes and for qualitative comparisons to kinematic distributions in data.

PYTHIA 8 calculations use matrix elements that are at leading order in the QCD coupling constant with simulation of higher-order contributions partially covered by the parton shower (PS) modelling. They also include modelling of hadronization effects. The distributions of events predicted by PYTHIA 8 are reweighted to the next-to-leading-order (NLO) predictions of NLOJET++ [35–37] using mass- and χ -dependent correction factors defined as in Ref. [19]. The correction factors modify the shape of the angular distributions at the level of 15% at low values of χ and high values of m_{jj} . The correction is 5% or less at the highest values of χ . The PYTHIA 8 predictions also omit electroweak effects. These are included as additional mass- and χ -dependent correction factors [38] that are unity at low m_{jj} and differ from unity by up to 3% in the $m_{jj} > 3.4$ TeV region.

BSM signal samples of excited quarks [39,40], new heavy vector bosons [41–43], quantum black holes [44–46] and contact interactions [47–49] are simulated and reconstructed using the same procedure as for QCD processes. The models and the parameters chosen for generation are described in Section 7.




Fig. 1. The reconstructed dijet mass distribution (filled points) for events with $|y^*| < 0.6$ and $p_T > 440$ (50) GeV for the leading (subleading) jets. The solid line depicts the fit to Eq. (1), as discussed in the text. Predictions for an excited quark and a quantum black hole signal predicted by the BLACKMAX generator (QBH BM) are shown above the fit, normalized to the predicted cross-section. The vertical lines indicate the most discrepant interval identified by the BUMPHUNTER algorithm, for which the p -value is stated in the figure. The middle panel shows the bin-by-bin significances of the data-fit differences, considering only statistical uncertainties. The lower panel shows the relative differences between the data and the prediction of PYTHIA 8 simulation of QCD processes, corrected for NLO and electroweak effects, and is shown purely for comparison. The shaded band denotes the experimental uncertainty in the jet energy scale calibration.

5. Selection for the mass distribution analysis

The m_{jj} distribution of events with $|y^*| < 0.6$ ($\chi < 3.3$) is analysed for evidence of contributions from resonant BSM phenomena. The requirement on $|y^*|$ reduces the background from QCD processes. To avoid kinematic bias from the y^* and p_T selections described above, the analysis is confined to $m_{jj} > 1.1$ TeV.

Fig. 1 shows the observed m_{jj} distribution for the resonance selection, overlaid with examples of the signals described in Section 7. The bin widths are chosen to approximate the m_{jj} resolution as derived from the simulation of QCD processes, and therefore widen as the mass increases. The largest value of m_{jj} measured is 6.9 TeV.

To estimate the SM background, the ansatz,

$$f(z) = p_1(1-z)^{p_2}z^{p_3}, \quad (1)$$

where $z \equiv m_{jj}/\sqrt{s}$, is fit to the m_{jj} distribution in Fig. 1 to obtain the parameters p_i . The fit range is 1.1–7.1 TeV. CDF, CMS, and ATLAS dijet searches such as those described in Refs. [6,8,13,14,17] have found that expressions similar to Eq. (1) describe dijet mass distributions observed at lower collision energies. The ansatz also describes leading-order and next-to-leading order simulations of QCD dijet production at $\sqrt{s} = 13$ TeV. A log-likelihood-ratio statistic employing Wilks's theorem [50] was used to determine if the background estimation would be significantly improved by an additional degree of freedom. With the current dataset, Eq. (1) was found to be sufficient.

Fig. 1 also shows the result of the fit. The fit describes the observed data with a p -value of 0.87, using a Poisson likelihood test

statistic. The middle panel of the figure shows the significances of bin-by-bin differences between the data and the fit. These Gaussian significances are calculated from the Poisson probability, considering only statistical uncertainties. The lower panel compares the data to the prediction of PYTHIA 8 simulation of QCD processes, corrected for NLO and electroweak effects. Even though it is not used in the analysis of the m_{jj} distribution, the simulation is shown to be in good agreement with the data.

The uncertainty in values of the parameters in Eq. (1) is evaluated by fitting them to pseudo-data drawn via Poisson fluctuations around the fitted background model. The uncertainty in the prediction in each m_{jj} bin is taken to be the root mean square of the function value for all pseudo-experiments in that bin. To estimate an uncertainty due to the choice of the background parameterization, a parameterization with one additional degree of freedom, $z^{p_4} \log z$, is compared to the nominal ansatz, and the difference is taken as an uncertainty. The prediction of the m_{jj} distribution does not involve simulated collisions and thus is not affected by theoretical or experimental uncertainties.

The statistical significance of any localized excess in the m_{jj} distribution is quantified using the BUMPHUNTER algorithm [51,52]. The algorithm compares the binned m_{jj} distribution of the data to the fitted background estimate, considering contiguous mass intervals in all possible locations, from a width of two bins to a width of half of the distribution. For each interval in the scan, it computes the significance of any excess found. The algorithm identifies the interval 1.53–1.61 TeV, indicated by the two vertical lines in Fig. 1, as the most discrepant interval. The statistical significance of this outcome is evaluated using the ensemble of possible outcomes across all intervals scanned, by applying the algorithm to many pseudo-data samples drawn randomly from the background fit. Without including systematic uncertainties, the probability that fluctuations of the background model would produce an excess at least as significant as the one observed in the data, anywhere in the distribution, is 0.67. Thus, there is no evidence of a localized contribution to the mass distribution from BSM phenomena.

6. Selection for the angular distributions analysis

The $dN/d\chi$ (angular) distributions of events with $|y^*| < 1.7$ (i.e. $\chi < 30.0$) and $|y_B| < 1.1$ are also analysed for contributions from BSM signals. Fig. 2 shows the angular distributions of the data in different m_{jj} ranges, the SM prediction for the shape of the angular distributions, and examples of the signals described in Section 7. The data with $m_{jj} < 2.5$ TeV are discarded to remove bias from the kinematic selections described earlier. The highest m_{jj} measured is 7.9 TeV. The SM prediction is obtained from simulation, as described in Section 4. In the analysis, the prediction in each m_{jj} range is normalized to match the integral of the data in that range.

Theoretical uncertainties in simulations of the angular distributions from QCD processes are estimated as described in Ref. [19]. The effect on the QCD prediction of varying the PDFs is estimated using NLOJET++ with three different PDF sets: CT10 [53], MSTW2008 [54] and NNPDF23 [32]. As the choice of PDF largely affects the total cross-section rather than the shape of the χ distributions, these uncertainties are negligible (< 1%). The uncertainty due to the choice of renormalization and factorization scales was estimated using NLOJET++ by varying each independently up and down by a factor two, excluding opposite variations. The resulting uncertainty, taken as the envelope of the variations in the normalized χ distributions, depends on both m_{jj} and χ , rising to 20% at the smallest χ values at high m_{jj} values. The statistical uncertainty of the simulated NLO corrections is less than 1%. The dominant experimental uncertainty in the predictions of the χ distributions is




Fig. 2. Reconstructed distributions of the dijet angular variable χ in different regions of the dijet invariant mass m_{jj} for events with $|y^*| < 1.7$, $|y_B| < 1.1$ and $p_T > 440$ (50) GeV for the leading (subleading) jets. Shown are the data (points), corrected NLO predictions (solid lines), and examples of the contact interaction (CI) and quantum black hole (QBH) signals discussed in the text. The theoretical uncertainties and the total theoretical and experimental uncertainties in the predictions are displayed as shaded bands around the SM prediction.

the jet energy scale uncertainty, with an impact of at most 25% at high m_{jj} values. The uncertainty in the jet energy resolution has negligible impact. The theoretical uncertainties and the total uncertainties are displayed as shaded bands around the prediction.

The CL_s technique [55,56] is used to test the compatibility of the χ distribution with the SM prediction and with the BSM signals discussed in Section 7, using a combined fit in four coarse m_{jj} bins covering $m_{jj} > 3.4$ TeV. No significant deviation of the data from the background-only hypothesis is observed, with a CL_b of 0.35.

7. Signal models

The data are used to constrain several of the many BSM models that predict dijet excesses. Quantum black holes, excited quarks, and W' and Z' bosons would produce peaks in the m_{jj} distribution. Contact interactions would introduce smooth changes in the high-mass tail of the m_{jj} distribution that could be detected in the analysis of the χ distributions. The signal models are simulated using the parton-level generators indicated below, in an identical manner to QCD processes, using the same PDFs and parameters for non-perturbative effects, except where noted otherwise.

The LHC could produce black holes with masses at or above the fundamental scale of gravity, M_D , if that scale is lowered to a few TeV by the existence of extra spatial dimensions [2,44,45,57–60]. High-multiplicity final states from thermalizing black holes are explored at $\sqrt{s} = 13$ TeV by ATLAS in Ref. [61]. This analysis explores quantum black holes (QBHs), which would be produced near M_D and decay into a few particles rather than high-multiplicity final states [44–46,62], appearing in the m_{jj} distribution as an excess localized at the threshold mass for the quantum black hole production, M_{th} . Here, production and decay to two jets is simulated using the QBH generator [63] or the BLACKMAX generator [46],³ assuming an Arkani-Hamed-Dimopoulos-Dvali (ADD) scenario [64,65] with $M_D = M_{\text{th}}$ and a number of extra dimensions $n = 6$, as in Ref. [17], and a Randall-Sundrum scenario (RS1) [66] with $n = 1$ using the QBH generator. In these models, the branching ratio to dijets is greater than 96%. The acceptance times efficiency of the resonance (angular) selection for a quantum black hole with a

³ Black holes decay thermally to non-rotating QBH in BLACKMAX, while the decay products of the QBH generator are dictated by local gauge symmetries of the SM.

threshold mass of 6.5 TeV is 53% (92%) for both generators. The PDFs used are CTEQ6L1 [67].

Excited quarks (q^*) [39,40] are predicted in models of compositeness and are a benchmark for quark-gluon resonances [8,9,14, 15]. The q^* model is simulated with PYTHIA 8, assuming spin-1/2 excited quarks with coupling constants the same as for SM quarks. As in Ref. [40], the compositeness scale is set equal to the excited quark mass, m_{q^*} , and the SU(3), SU(2), and U(1) coupling multipliers $f_S = f = f' = 1$. The renormalization and factorization scales are set to the average p_T of the two leading jets. In the simulation, only the decay of the excited quark to a gluon and an up- or down-type quark is modelled; this corresponds to a branching ratio of 85%. Before parton shower effects are taken into account, the intrinsic width of the q^* signals is comparable to the detector resolution. The resonance selection acceptance times efficiency for a q^* with a mass of 4 TeV is 58%.

Additional spin-1 W' and Z' bosons often arise in the symmetry breaking of extended gauge theories. A W' model [41] with $V-A$ SM couplings and a corresponding branching ratio to dijets of 75% is considered. In this analysis, events are simulated in PYTHIA 8 and decays are restricted to quark-antiquark pairs with all six quark flavours included. Events including top decays were not removed from the analysis, resulting in conservative limits. A leptophobic Z' model [42] is also simulated, with matrix elements calculated in MADGRAPH 5 [68] and parton showering performed in PYTHIA 8. The Z' model assumes axial-vector couplings to all SM quarks and to a Dirac fermion dark matter candidate. No interference with the SM is simulated for either the W' or the Z' model and decays involving top quarks are included. The Z' model considered follows a scenario [43] where its decays to dark matter are negligible, hence the dijet production rate and resonance width depend only on the coupling to quarks, g_q , and the mass of the resonance $m_{Z'}$. Before parton shower effects are considered, the intrinsic width of the W' and Z' signals range from 0.05% for a Z' with a mass of 1.5 TeV and $g_q = 0.1$ to 10% for a Z' with a mass of 3.5 TeV and $g_q = 0.5$. The resonance selection acceptance times efficiency for a mass of 3 TeV is 40% for the W' model and 47% for the Z' model with $g_q = 0.2$.

Results are also provided as limits on the cross-section times acceptance times branching ratio to two jets, $\sigma \times A \times \text{BR}$, of a hypothetical signal that produces a Gaussian contribution to the observed m_{jj} distribution. For sufficiently narrow resonances, these results may be used to set limits in BSM models beyond those considered explicitly in this Letter. These limits should be used when PDF and non-perturbative effects can be safely truncated or neglected and, after applying the resonance selection, the reconstructed m_{jj} distribution predicted by the model approaches a Gaussian distribution. Predicted BSM signals with an intrinsic width much smaller than 5% should be compared to the limit curve for width equal to the experimental resolution. Predicted signals with larger widths should be compared with the limit that corresponds most closely to the width of the Gaussian contribution predicted by the model. More instructions can be found in Appendix A of Ref. [17].

For all signals described above, the following systematic uncertainties are included in the limit setting: jet energy scale, PDF and uncertainties due to higher-order corrections, luminosity, and statistical uncertainties of the simulated events. The jet energy uncertainty is up to 10%. On average, the PDF uncertainty affects the angular distributions by 1%. The uncertainty in the integrated luminosity is $\pm 9\%$. It is derived, following a method similar to that detailed in Ref. [69], from a preliminary calibration of the luminosity scale using a pair of x - y beam-separation scans performed in June 2015.

The dijet distributions can also be modified by new mediating particles with a mass much higher than can be probed directly. A four-fermion effective field theory (contact interaction) [47–49] characterized by a single energy scale Λ can then be used to describe these effects:

$$L_{qq} = \frac{2\pi}{\Lambda^2} [\eta_{LL}(\bar{q}_L \gamma^\mu q_L)(\bar{q}_L \gamma_\mu q_L) + \eta_{RR}(\bar{q}_R \gamma^\mu q_R)(\bar{q}_R \gamma_\mu q_R) + 2\eta_{RL}(\bar{q}_R \gamma^\mu q_R)(\bar{q}_L \gamma_\mu q_L)],$$

where the quark fields have L and R chiral projections and the coefficients η_{LL} , η_{RR} , and η_{RL} turn on and off various interactions. Contact interactions with a non-zero left-chiral colour-singlet coupling ($\eta_{LL} = \pm 1$, $\eta_{RL} = \eta_{RR} = 0$) are simulated using PYTHIA 8. This type of coupling is chosen because its angular distributions are representative of those of other BSM models. Interference of the signal model with the SM process $q\bar{q} \rightarrow q\bar{q}$ is included. Events are simulated for both constructive and destructive interference with $\Lambda = 7$ TeV. From this sample, the angular distributions for other values of Λ are obtained using the fact that the interference term is proportional to $1/\Lambda^2$ and the pure contact-interaction cross-section is proportional to $1/\Lambda^4$. The PYTHIA 8 signal prediction is reweighted to the NLO cross-sections provided by CJET [70]. Uncertainties in the prediction of the angular distributions for contact-interaction signals are obtained in the same manner as for QCD processes.

8. Limits

Starting from the m_{jj} distribution obtained with the resonance selection, a Bayesian method [14] is applied to the data and simulation of signals at a series of discrete masses to set 95% credibility-level upper limits on the cross-section times acceptance for the signals described above. The method uses a constant prior for signal cross-section and Gaussian priors for nuisance parameters corresponding to systematic uncertainties. The expected limits are calculated using pseudo-experiments generated from the maximum-likelihood values for parameters of the background-only model in Eq. (1) using the full systematic uncertainties in both the signal and background models. The limit is interpolated logarithmically between the discrete masses to create curves continuous in signal mass. The mass limits for each of those models are shown in Figs. 3 and 4 and Table 1. No uncertainty is included for the cross-section of the signals considered.

Fig. 5 shows limits on the Gaussian contributions to the observed m_{jj} distribution obtained for a mean mass m_G and four different widths, from a width equal to the detector mass resolution to a width of 15% of the mean of the Gaussian mass distribution. Limits are set only when m_G is within 1.1 TeV–6.9 TeV and separated by at least twice the width of the Gaussian from the endpoints of this range. Intrinsically narrow resonances with effective cross-sections exceeding values ranging from approximately 50–300 fb for masses below 2 TeV to 2–20 fb for masses above 4 TeV are excluded. As the width increases, the expected signal contribution is distributed across more bins. Therefore wider signals are affected less than narrower signals by statistical fluctuations of the data in a single bin.

Starting from the χ distribution obtained with the angular selection, the CL_s is calculated for signal contributions from contact interactions and quantum black holes, using the background predicted by the SM simulations as the null hypothesis. The asymptotic approximation [71] of a profile likelihood ratio is used to set 95% confidence-level limits in the contact interaction and quantum black hole models. A combined fit is performed on the four highest- m_{jj} regions of Fig. 2. The correlation of the systematic uncertainties between the regions is taken into account and the max-




Fig. 3. The 95% credibility-level upper limits obtained from the m_{jj} distribution on cross-section, σ , times acceptance, A , for the models described in the text. Clockwise from top left: quantum black holes with $n = 6$ generated with BLACKMAX (QBH (BM)), and with $n = 6$ and $n = 1$ with QBH (denoted by QBH (QBH) and QBH (RS), respectively), Z' with $g_q = 0.3$, W' , and q^* .




Fig. 4. The ratio of 95% credibility-level upper limits to predicted cross-sections with respect to the Z' model predictions described in the text, as a function of the coupling to quarks, g_q , and the mass, $M_{Z'}$, obtained from the m_{jj} distribution. Since for a given mass higher couplings have higher cross sections and would therefore be excluded if lower couplings are excluded, the limits are not calculated in the white area.

Table 1

The 95% credibility-level lower limit on the mass of quantum black holes, W' models and excited quarks from the resonance selection, and the 95% confidence-level lower limit on the scale of contact interactions for constructive ($\eta_{LL} = -1$) and destructive ($\eta_{LL} = +1$) from the angular selection. Limits on the Z' model are provided in Fig. 4. For comparison between the results from the two selections, the corresponding limit on quantum black holes for the angular selection is 8.1 TeV for the QBH $n = 6$ model. The Run 1 limits shown above were obtained in Refs. [17,19].

Model	95% CL exclusion limit		
	Run 1 observed	Observed 13 TeV	Expected 13 TeV
Quantum black holes, ADD (BLACKMAX generator)	5.6 TeV	8.1 TeV	8.1 TeV
Quantum black holes, ADD (QBH generator)	5.7 TeV	8.3 TeV	8.3 TeV
Quantum black holes, RS (QBH generator)	–	5.3 TeV	5.1 TeV
Excited quark	4.1 TeV	5.2 TeV	4.9 TeV
W'	2.5 TeV	2.6 TeV	2.6 TeV
Contact interactions ($\eta_{LL} = +1$)	8.1 TeV	12.0 TeV	12.0 TeV
Contact interactions ($\eta_{LL} = -1$)	12.0 TeV	17.5 TeV	18.1 TeV




Fig. 5. The 95% credibility-level upper limits obtained from the m_{jj} distribution on cross-section times acceptance times branching ratio to two jets, $\sigma \times A \times BR$, for a hypothetical signal with a cross-section σ_G that produces a Gaussian contribution to the observed m_{jj} distribution, as a function of the mean mass of the Gaussian distribution, m_G . Limits are obtained for four different widths, from a width equal to the detector mass resolution (“Res.”), 3%–2% depending on m_{jj} probed, to 15% of the mean of the Gaussian mass distribution.

imum likelihood values of the nuisance parameters do not differ significantly from the expectation. The validity of the asymptotic approximation was confirmed using toy simulations. The bounds on contact interactions are shown in Fig. 6 and in Table 1. Limits obtained from the angular distributions on quantum black hole signals are similar to the limits obtained from the m_{jj} distribution.

9. Conclusion

No evidence of phenomena beyond the Standard Model was uncovered in this search using dijet events in 3.6 fb^{-1} of proton-proton collisions with a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ recorded by the ATLAS detector at the Large Hadron Collider. The dijet invariant mass distribution exhibits no significant local excesses above a data-derived estimate of the smoothly falling distribution predicted by the Standard Model. The dijet angular distributions also agree with a Monte Carlo simulation of the SM. With the resonance selection, the analysis excludes at 95% credibility level several types of signals, as predicted by models of quantum black holes, excited quarks, W' and Z' bosons. It also




Fig. 6. Ratio of the observed and expected 95% confidence-level upper limits on the cross-section in the contact interaction model to the predicted cross-section σ/σ_{th} as a function of compositeness scale Λ , for (top) destructive and (bottom) constructive interference with QCD processes. The crossing of the observed and expected 95% confidence-level lines with the line at signal strength of one indicates observed and expected lower limits on Λ , respectively.

sets 95% credibility-level upper limits on the cross-section for new processes that would produce a Gaussian contribution to the dijet mass distribution. It excludes Gaussian contributions if the effective cross-section exceeds values ranging from approximately 50–300 fb for masses below 2 TeV to 2–20 fb for masses above 4 TeV. With the angular selection, 95% confidence-level lower limits are set on the compositeness scale of contact interactions at 12.0 TeV (17.5 TeV) for destructive (constructive) interference between the new interaction and QCD processes. These results significantly extend the ATLAS limits obtained from 8 TeV data.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhi, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark;

IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Region Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] R.M. Harris, K. Kousouris, Searches for dijet resonances at hadron colliders, *Int. J. Mod. Phys. A* 26 (2011) 5005–5055, arXiv:1110.5302 [hep-ex].
- [2] N. Boelaert, T. Åkesson, Dijet angular distributions at $\sqrt{s} = 14$ TeV, *Eur. Phys. J. C* 66 (2010) 343–357, arXiv:0905.3961 [hep-ph].
- [3] UA1 Collaboration, G. Arnison, et al., Angular distributions and structure functions from two jet events at the CERN SPS p anti-p collider, *Phys. Lett. B* 136 (1984) 294.
- [4] UA1 Collaboration, C. Albajar, et al., Two jet mass distributions at the CERN proton-anti-proton collider, *Phys. Lett. B* 209 (1988) 127–134.
- [5] UA2 Collaboration, P. Bagnaia, et al., Measurement of jet production properties at the CERN collider, *Phys. Lett. B* 144 (1984) 283–290.
- [6] CDF Collaboration, T. Altonen, et al., Search for new particles decaying into dijets in proton-antiproton collisions at $\sqrt{s} = 1.96$ TeV, *Phys. Rev. D* 79 (2009) 112002, arXiv:0812.4036 [hep-ex].
- [7] D0 Collaboration, V.M. Abazov, et al., Measurement of dijet angular distributions at $\sqrt{s} = 1.96$ TeV and searches for quark compositeness and extra spatial dimensions, *Phys. Rev. Lett.* 103 (2009) 191803, arXiv:0906.4819 [hep-ex].
- [8] ATLAS Collaboration, Search for new particles in two-jet final states in 7 TeV proton-proton collisions with the ATLAS detector at the LHC, *Phys. Rev. Lett.* 105 (2010) 161801, arXiv:1008.2461 [hep-ex].
- [9] ATLAS Collaboration, Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector, *Phys. Lett. B* 694 (2011) 327, arXiv:1009.5069 [hep-ex].
- [10] CMS Collaboration, Search for dijet resonances in 7 TeV pp collisions at CMS, *Phys. Rev. Lett.* 105 (2010) 211801, arXiv:1010.0203 [hep-ex].
- [11] CMS Collaboration, Search for quark compositeness with the dijet centrality ratio in 7 TeV pp collisions, *Phys. Rev. Lett.* 105 (2010) 262001, arXiv:1010.4439 [hep-ex].
- [12] CMS Collaboration, Measurement of dijet angular distributions and search for quark compositeness in pp collisions at $\sqrt{s} = 7$ TeV, *Phys. Rev. Lett.* 106 (2011) 201804, arXiv:1102.2020 [hep-ex].
- [13] CMS Collaboration, Search for resonances in the dijet mass spectrum from 7 TeV pp collisions at CMS, *Phys. Lett. B* 704 (2011) 123, arXiv:1107.4771 [hep-ex].
- [14] ATLAS Collaboration, Search for new physics in dijet mass and angular distributions in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector, *New J. Phys.* 13 (2011) 053044, arXiv:1103.3864 [hep-ex].
- [15] ATLAS Collaboration, Search for new physics in the dijet mass distribution using 1 fb⁻¹ of pp collision data at $\sqrt{s} = 7$ TeV collected by the ATLAS detector, *Phys. Lett. B* 708 (2012) 37–54, arXiv:1108.6311 [hep-ex].
- [16] ATLAS Collaboration, ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV, *J. High Energy Phys.* 1301 (2013) 029, arXiv:1210.1718 [hep-ex].
- [17] ATLAS Collaboration, Search for new phenomena in the dijet mass distribution using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector, *Phys. Rev. D* 91 (2015) 052007, arXiv:1407.1376 [hep-ex].
- [18] CMS Collaboration, Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s} = 8$ TeV, *Phys. Rev. D* 87 (2013) 114015, arXiv:1302.4794 [hep-ex].
- [19] ATLAS Collaboration, Search for new phenomena in dijet angular distributions in proton-proton collisions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector, *Phys. Rev. Lett.* 114 (2015) 221802, arXiv:1504.00357 [hep-ex].
- [20] CMS Collaboration, Search for narrow resonances decaying to dijets in proton-proton collisions at $\sqrt{s} = 13$ TeV, arXiv:1512.01224 [hep-ex], 2015.
- [21] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* 3 (2008) S08003.
- [22] W. Lampl, et al., Calorimeter clustering algorithms: description and performance, ATLAS-LARG-PUB-2008-002, 2008, <http://cds.cern.ch/record/1099735>.
- [23] M. Cacciari, G. Salam, G. Söyöz, The anti- k_T jet clustering algorithm, *J. High Energy Phys.* 0804 (2008) 063, arXiv:0802.1189 [hep-ph].
- [24] M. Cacciari, G. Salam, Dispelling the N^3 myth for the k_T jet-finder, *Phys. Lett. B* 641 (2006) 57, arXiv:hep-ph/0512210.
- [25] ATLAS Collaboration, Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector, arXiv:1510.03823 [hep-ex], 2015.
- [26] ATLAS Collaboration, Data-driven determination of the energy scale and resolution of jets reconstructed in the ATLAS calorimeters using dijet and multijet events at $\sqrt{s} = 8$ TeV, ATLAS-CONF-2015-017, 2015, <http://cds.cern.ch/record/2008678>.
- [27] ATLAS Collaboration, Jet calibration and systematic uncertainties for jets reconstructed in the ATLAS detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-015, 2015, <http://cds.cern.ch/record/2037613>.
- [28] ATLAS Collaboration, Jet global sequential corrections with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV, ATLAS-CONF-2015-002, 2015, <http://cds.cern.ch/record/2001682>.
- [29] ATLAS Collaboration, Selection of jets produced in 13 TeV proton-proton collisions with the ATLAS detector, ATLAS-CONF-2015-029, 2015, <https://cds.cern.ch/record/2037702>.
- [30] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to Pythia 8.1, *Comput. Phys. Commun.* 178 (2008) 852–867, arXiv:0710.3820 [hep-ph].
- [31] ATLAS Collaboration, ATLAS Run 1 Pythia 8 tunes, ATLAS-PHYS-PUB-2014-021, <http://cds.cern.ch/record/1966419>, 2014.
- [32] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244–289, arXiv:1207.1303 [hep-ph].
- [33] S. Agostinelli, et al., GEANT4: a simulation toolkit, *Nucl. Instrum. Methods Phys. Res., Sect. A* 506 (2003) 250–303.
- [34] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823–874, arXiv:1005.4568 [physics.ins-det].
- [35] Z. Nagy, Three-jet cross sections in hadron-hadron collisions at next-to-leading-order, *Phys. Rev. Lett.* 88 (2002) 122003, arXiv:hep-ph/0110315.
- [36] Z. Nagy, Next-to-leading order calculation of three-jet observables in hadron-hadron collision, *Phys. Rev. D* 68 (2003) 094002, arXiv:hep-ph/0307268.
- [37] S. Catani, M.H. Seymour, A general algorithm for calculating jet cross-sections in NLO QCD, *Nucl. Phys. B* 485 (1997) 291–419, arXiv:hep-ph/9605323.
- [38] S. Dittmaier, A. Huss, C. Speckner, Weak radiative corrections to dijet production at hadron colliders, *J. High Energy Phys.* 1211 (2012) 095, arXiv:1210.0438 [hep-ph], we thank the authors for providing weak radiative correction factors.
- [39] U. Baur, I. Hinchliffe, D. Zeppenfeld, Excited quark production at hadron colliders, *Int. J. Mod. Phys. A* 2 (1987) 1285.
- [40] U. Baur, M. Spira, P.M. Zerwas, Excited quark and lepton production at hadron colliders, *Phys. Rev. D* 42 (1990) 815–825.
- [41] G. Altarelli, B. Mele, M. Ruiz-Altaba, Searching for new heavy vector bosons in pp collider, *Z. Phys. C* 45 (1989) 109, Erratum: *Z. Phys. C* 47 (1990) 676.
- [42] D. Abercrombie, et al., Dark matter benchmark models for early LHC Run-2 searches: report of the ATLAS/CMS Dark Matter Forum, arXiv:1507.00966 [hep-ex], 2015.
- [43] M. Chala, et al., Constraining dark sectors with monojets and dijets, *J. High Energy Phys.* 1507 (2015) 089, arXiv:1503.05916 [hep-ph].
- [44] D.M. Gingrich, Quantum black holes with charge, colour, and spin at the LHC, *J. Phys. G* 37 (2010) 105008, arXiv:0912.0826 [hep-ph].
- [45] X. Calmet, W. Gong, S.D.H. Hsu, Colorful quantum black holes at the LHC, *Phys. Lett. B* 668 (2008) 20–23, arXiv:0806.4605 [hep-ph].
- [46] D.-C. Dai, et al., BlackMax: a black-hole event generator with rotation, recoil, split branes, and brane tension, *Phys. Rev. D* 77 (2008) 076007, arXiv:0711.3012 [hep-ph].
- [47] E. Eichten, et al., Supercollider physics, *Rev. Mod. Phys.* 56 (1984) 579–707.
- [48] E. Eichten, et al., Erratum: supercollider physics, *Rev. Mod. Phys.* 58 (1986) 1065.
- [49] P. Chiapetta, M. Perrottet, Possible bounds on compositeness from inclusive one jet production in large hadron colliders, *Phys. Lett. B* 253 (1991) 489–493.
- [50] S.S. Wilks, The large-sample distribution of the likelihood ratio for testing com-

- posite hypotheses, Ann. Math. Stat. 9 (1938) 60–62.
- [51] CDF Collaboration, T. Aaltonen, et al., Global search for new physics with 2.0 fb^{-1} at CDF, Phys. Rev. D 79 (2009) 011101, arXiv:0809.3781 [hep-ex].
- [52] G. Choudalakis, On hypothesis testing, trials factor, hypertests and the Bump-Hunter, arXiv:1101.0390 [physics.data-an], 2011.
- [53] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [54] A.D. Martin, et al., Parton distributions for the LHC, Eur. Phys. J. C 63 (2009) 189–285, arXiv:0901.0002 [hep-ph].
- [55] A.L. Read, Presentation of search results: the CLs(s) technique, J. Phys. G 28 (2002) 2693–2704.
- [56] T. Junk, Confidence level computation for combining searches with small statistics, Nucl. Instrum. Methods Phys. Res., Sect. A 434 (1999) 435–443, arXiv:hep-ex/9902006.
- [57] S.B. Giddings, S.D. Thomas, High-energy colliders as black hole factories: the end of short distance physics, Phys. Rev. D 65 (2002) 056010, arXiv:hep-ph/0106219.
- [58] S. Dimopoulos, G.L. Landsberg, Black holes at the Large Hadron Collider, Phys. Rev. Lett. 87 (2001) 161602, arXiv:hep-ph/0106295.
- [59] P. Meade, L. Randall, Black holes and quantum gravity at the LHC, J. High Energy Phys. 0805 (2008) 003, arXiv:0708.3017 [hep-ph].
- [60] L.A. Anchordoqui, et al., Inelastic black hole production and large extra dimensions, Phys. Lett. B 594 (2004) 363–367, arXiv:hep-ph/0311365.
- [61] ATLAS Collaboration, Search for evidence for strong gravity in jet final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC, 2015, eprint: CERN-PH-EP-2015-312.
- [62] J.A. Frost, et al., Phenomenology of production and decay of spinning extra-dimensional black holes at hadron colliders, J. High Energy Phys. 0910 (2009) 014, arXiv:0904.0979 [hep-ph].
- [63] D.M. Gingrich, Monte Carlo event generator for black hole production and decay in proton-proton collisions, Comput. Phys. Commun. 181 (2010) 1917–1924, arXiv:0911.5370 [hep-ph].
- [64] N. Arkani-Hamed, S. Dimopoulos, G.R. Dvali, The hierarchy problem and new dimensions at a millimetre, Phys. Lett. B 429 (1998) 263–272, arXiv:hep-ph/9803315.
- [65] I. Antoniadis, et al., New dimensions at a millimeter to a Fermi and superstrings at a TeV, Phys. Lett. B 436 (1998) 257–263, arXiv:hep-ph/9804398.
- [66] L. Randall, R. Sundrum, A large mass hierarchy from a small extra dimension, Phys. Rev. Lett. 83 (1999) 3370–3373, arXiv:hep-ph/9905221.
- [67] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 0207 (2002) 012, arXiv:hep-ph/0201195.
- [68] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 1407 (2014) 079, arXiv:1405.0301 [hep-ph].
- [69] ATLAS Collaboration, Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC, Eur. Phys. J. C 73 (2013) 2518, arXiv:1302.4393 [hep-ex].
- [70] J. Gao, CJET: a program for computation of jet cross sections induced by quark contact interactions at hadron colliders, Comput. Phys. Commun. 184 (2013) 2362–2366, arXiv:1301.7263 [hep-ph].
- [71] G. Cowan, et al., Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, Erratum: Eur. Phys. J. C 73 (2013), arXiv:1007.1727 [physics.data-an].

ATLAS Collaboration

- G. Aad ⁸⁷, B. Abbott ¹¹⁴, J. Abdallah ¹⁵², O. Abdinov ¹¹, B. Abelsoos ¹¹⁸, R. Aben ¹⁰⁸, M. Abolins ⁹², O.S. AbouZeid ¹⁵⁹, H. Abramowicz ¹⁵⁴, H. Abreu ¹⁵³, R. Abreu ¹¹⁷, Y. Abulaiti ^{147a, 147b}, B.S. Acharya ^{163a, 163b, a}, L. Adamczyk ^{39a}, D.L. Adams ²⁶, J. Adelman ¹⁰⁹, S. Adomeit ¹⁰¹, T. Adye ¹³², A.A. Affolder ⁷⁶, T. Agatonovic-Jovin ¹³, J. Agricola ⁵⁵, J.A. Aguilar-Saavedra ^{127a, 127f}, S.P. Ahlen ²³, F. Ahmadov ^{67, b}, G. Aielli ^{134a, 134b}, H. Akerstedt ^{147a, 147b}, T.P.A. Åkesson ⁸³, A.V. Akimov ⁹⁷, G.L. Alberghi ^{21a, 21b}, J. Albert ¹⁶⁸, S. Albrand ⁵⁶, M.J. Alconada Verzini ⁷³, M. Alekса ³¹, I.N. Aleksandrov ⁶⁷, C. Alexa ^{27b}, G. Alexander ¹⁵⁴, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁴, G. Alimonti ^{93a}, L. Alio ⁸⁷, J. Alison ³², S.P. Alkire ³⁶, B.M.M. Allbrooke ¹⁵⁰, B.W. Allen ¹¹⁷, P.P. Allport ¹⁸, A. Aloisio ^{105a, 105b}, A. Alonso ³⁷, F. Alonso ⁷³, C. Alpigiani ¹³⁹, B. Alvarez Gonzalez ³¹, D. Álvarez Piqueras ¹⁶⁶, M.G. Alviggi ^{105a, 105b}, B.T. Amadio ¹⁵, K. Amako ⁶⁸, Y. Amaral Coutinho ^{25a}, C. Amelung ²⁴, D. Amidei ⁹¹, S.P. Amor Dos Santos ^{127a, 127c}, A. Amorim ^{127a, 127b}, S. Amoroso ³¹, N. Amram ¹⁵⁴, G. Amundsen ²⁴, C. Anastopoulos ¹⁴⁰, L.S. Ancu ⁵⁰, N. Andari ¹⁰⁹, T. Andeen ³², C.F. Anders ^{59b}, G. Anders ³¹, J.K. Anders ⁷⁶, K.J. Anderson ³², A. Andreazza ^{93a, 93b}, V. Andrei ^{59a}, S. Angelidakis ⁹, I. Angelozzi ¹⁰⁸, P. Anger ⁴⁵, A. Angerami ³⁶, F. Anghinolfi ³¹, A.V. Anisenkov ^{110, c}, N. Anjos ¹², A. Annovi ^{125a, 125b}, M. Antonelli ⁴⁸, A. Antonov ⁹⁹, J. Antos ^{145b}, F. Anulli ^{133a}, M. Aoki ⁶⁸, L. Aperio Bella ¹⁸, G. Arabidze ⁹², Y. Arai ⁶⁸, J.P. Araque ^{127a}, A.T.H. Arce ⁴⁶, F.A. Arduh ⁷³, J-F. Arguin ⁹⁶, S. Argyropoulos ⁶⁴, M. Arik ^{19a}, A.J. Armbruster ³¹, L.J. Armitage ⁷⁸, O. Arnaez ³¹, H. Arnold ⁴⁹, M. Arratia ²⁹, O. Arslan ²², A. Artamonov ⁹⁸, G. Artoni ¹²¹, S. Artz ⁸⁵, S. Asai ¹⁵⁶, N. Asbah ⁴³, A. Ashkenazi ¹⁵⁴, B. Åsman ^{147a, 147b}, L. Asquith ¹⁵⁰, K. Assamagan ²⁶, R. Astalos ^{145a}, M. Atkinson ¹⁶⁵, N.B. Atlay ¹⁴², K. Augsten ¹²⁹, G. Avolio ³¹, B. Axen ¹⁵, M.K. Ayoub ¹¹⁸, G. Azuelos ^{96, d}, M.A. Baak ³¹, A.E. Baas ^{59a}, M.J. Baca ¹⁸, H. Bachacou ¹³⁷, K. Bachas ^{75a, 75b}, M. Backes ³¹, M. Backhaus ³¹, P. Bagiacchi ^{133a, 133b}, P. Bagnaia ^{133a, 133b}, Y. Bai ^{34a}, J.T. Baines ¹³², O.K. Baker ¹⁷⁵, E.M. Baldin ^{110, c}, P. Balek ¹³⁰, T. Balestri ¹⁴⁹, F. Balli ⁸⁶, W.K. Balunas ¹²³, E. Banas ⁴⁰, Sw. Banerjee ^{172, e}, A.A.E. Bannoura ¹⁷⁴, L. Barak ³¹, E.L. Barberio ⁹⁰, D. Barberis ^{51a, 51b}, M. Barbero ⁸⁷, T. Barillari ¹⁰², M. Barisonzi ^{163a, 163b}, T. Barklow ¹⁴⁴, N. Barlow ²⁹, S.L. Barnes ⁸⁶, B.M. Barnett ¹³², R.M. Barnett ¹⁵, Z. Barnovska ⁵, A. Baroncelli ^{135a}, G. Barone ²⁴, A.J. Barr ¹²¹, L. Barranco Navarro ¹⁶⁶, F. Barreiro ⁸⁴, J. Barreiro Guimaraes da Costa ^{34a}, R. Bartoldus ¹⁴⁴, A.E. Barton ⁷⁴, P. Bartos ^{145a}, A. Basalaev ¹²⁴, A. Bassalat ¹¹⁸, A. Basye ¹⁶⁵, R.L. Bates ⁵⁴, S.J. Batista ¹⁵⁹, J.R. Batley ²⁹, M. Battaglia ¹³⁸, M. Baucé ^{133a, 133b}, F. Bauer ¹³⁷, H.S. Bawa ^{144, f}, J.B. Beacham ¹¹², M.D. Beattie ⁷⁴, T. Beau ⁸², P.H. Beauchemin ¹⁶², R. Beccherle ^{125a, 125b}, P. Bechtle ²², H.P. Beck ^{17, g}, K. Becker ¹²¹, M. Becker ⁸⁵, M. Beckingham ¹⁶⁹, C. Becot ¹¹¹, A.J. Beddall ^{19e}, A. Beddall ^{19b}, V.A. Bednyakov ⁶⁷, M. Bedognetti ¹⁰⁸, C.P. Bee ¹⁴⁹, L.J. Beemster ¹⁰⁸, T.A. Beermann ³¹, M. Begel ²⁶, J.K. Behr ¹²¹, C. Belanger-Champagne ⁸⁹, A.S. Bell ⁸⁰, W.H. Bell ⁵⁰, G. Bella ¹⁵⁴, L. Bellagamba ^{21a}, A. Bellerive ³⁰, M. Bellomo ⁸⁸, K. Belotskiy ⁹⁹,

- O. Beltramello 31, O. Benary 154, D. Benchekroun 136a, M. Bender 101, K. Bendtz 147a, 147b, N. Benekos 10, Y. Benhammou 154, E. Benhar Noccioli 175, J. Benitez 64, J.A. Benitez Garcia 160b, D.P. Benjamin 46, J.R. Bensinger 24, S. Bentvelsen 108, L. Beresford 121, M. Beretta 48, D. Berge 108, E. Bergeaas Kuutmann 164, N. Berger 5, F. Berghaus 168, J. Beringer 15, C. Bernard 23, N.R. Bernard 88, C. Bernius 111, F.U. Bernlochner 22, T. Berry 79, P. Berta 130, C. Bertella 85, G. Bertoli 147a, 147b, F. Bertolucci 125a, 125b, C. Bertsche 114, D. Bertsche 114, G.J. Besjes 37, O. Bessidskaia Bylund 147a, 147b, M. Bessner 43, N. Besson 137, C. Betancourt 49, S. Bethke 102, A.J. Bevan 78, W. Bhimji 15, R.M. Bianchi 126, L. Bianchini 24, M. Bianco 31, O. Biebel 101, D. Biedermann 16, R. Bielski 86, N.V. Biesuz 125a, 125b, M. Biglietti 135a, J. Bilbao De Mendizabal 50, H. Bilokon 48, M. Bindl 55, S. Binet 118, A. Bingul 19b, C. Bini 133a, 133b, S. Biondi 21a, 21b, D.M. Bjergaard 46, C.W. Black 151, J.E. Black 144, K.M. Black 23, D. Blackburn 139, R.E. Blair 6, J.-B. Blanchard 137, J.E. Blanco 79, T. Blazek 145a, I. Bloch 43, C. Blocker 24, W. Blum 85,* U. Blumenschein 55, S. Blunier 33a, G.J. Bobbink 108, V.S. Bobrovnikov 110c, S.S. Bocchetta 83, A. Bocci 46, C. Bock 101, M. Boehler 49, D. Boerner 174, J.A. Bogaerts 31, D. Bogavac 13, A.G. Bogdanchikov 110, C. Bohm 147a, V. Boisvert 79, T. Bold 39a, V. Boldea 27b, A.S. Boldyrev 163a, 163c, M. Bomben 82, M. Bona 78, M. Boonekamp 137, A. Borisov 131, G. Borissov 74, J. Bortfeldt 101, D. Bortoletto 121, V. Bortolotto 61a, 61b, 61c, K. Bos 108, D. Boscherini 21a, M. Bosman 12, J.D. Bossio Sola 28, J. Boudreau 126, J. Bouffard 2, E.V. Bouhouva-Thacker 74, D. Boumediene 35, C. Bourdarios 118, N. Bousson 115, S.K. Boutle 54, A. Boveia 31, J. Boyd 31, I.R. Boyko 67, J. Bracinik 18, A. Brandt 8, G. Brandt 55, O. Brandt 59a, U. Bratzler 157, B. Brau 88, J.E. Brau 117, H.M. Braun 174,* W.D. Breaden Madden 54, K. Brendlinger 123, A.J. Brennan 90, L. Brenner 108, R. Brenner 164, S. Bressler 171, T.M. Bristow 47, D. Britton 54, D. Britzger 43, F.M. Brochu 29, I. Brock 22, R. Brock 92, G. Brooijmans 36, T. Brooks 79, W.K. Brooks 33b, J. Brosamer 15, E. Brost 117, P.A. Bruckman de Renstrom 40, D. Bruncko 145b, R. Bruneliere 49, A. Brunni 21a, G. Bruni 21a, BH Brunt 29, M. Bruschi 21a, N. Bruscino 22, P. Bryant 32, L. Bryngemark 83, T. Buanes 14, Q. Buat 143, P. Buchholz 142, A.G. Buckley 54, I.A. Budagov 67, F. Buehrer 49, M.K. Bugge 120, O. Bulekov 99, D. Bullock 8, H. Burckhart 31, S. Burdin 76, C.D. Burgard 49, B. Burghgrave 109, K. Burka 40, S. Burke 132, I. Burmeister 44, E. Busato 35, D. Büscher 49, V. Büscher 85, P. Bussey 54, J.M. Butler 23, A.I. Butt 3, C.M. Buttar 54, J.M. Butterworth 80, P. Butti 108, W. Buttinger 26, A. Buzatu 54, A.R. Buzykaev 110c, S. Cabrera Urbán 166, D. Caforio 129, V.M. Cairo 38a, 38b, O. Cakir 4a, N. Calace 50, P. Calafiura 15, A. Calandri 87, G. Calderini 82, P. Calfayan 101, L.P. Caloba 25a, D. Calvet 35, S. Calvet 35, T.P. Calvet 87, R. Camacho Toro 32, S. Camarda 43, P. Camarri 134a, 134b, D. Cameron 120, R. Caminal Armadans 165, C. Camincher 56, S. Campana 31, M. Campanelli 80, A. Campoverde 149, V. Canale 105a, 105b, A. Canepa 160a, M. Cano Bret 34e, J. Cantero 84, R. Cantrill 127a, T. Cao 41, M.D.M. Capeans Garrido 31, I. Caprini 27b, M. Caprini 27b, M. Capua 38a, 38b, R. Caputo 85, R.M. Carbone 36, R. Cardarelli 134a, F. Cardillo 49, T. Carli 31, G. Carlino 105a, L. Carminati 93a, 93b, S. Caron 107, E. Carquin 33a, G.D. Carrillo-Montoya 31, J.R. Carter 29, J. Carvalho 127a, 127c, D. Casadei 80, M.P. Casado 12, h, M. Casolino 12, D.W. Casper 66, E. Castaneda-Miranda 146a, A. Castelli 108, V. Castillo Gimenez 166, N.F. Castro 127a, i, A. Catinaccio 31, J.R. Catmore 120, A. Cattai 31, J. Caudron 85, V. Cavaliere 165, D. Cavalli 93a, M. Cavalli-Sforza 12, V. Cavasinni 125a, 125b, F. Ceradini 135a, 135b, L. Cerdá Alberich 166, B.C. Cerio 46, A.S. Cerqueira 25b, A. Cerri 150, L. Cerrito 78, F. Cerutti 15, M. Cervi 31, A. Cervelli 17, S.A. Cetin 19d, A. Chafaq 136a, D. Chakraborty 109, I. Chalupkova 130, Y.L. Chan 61a, P. Chang 165, J.D. Chapman 29, D.G. Charlton 18, C.C. Chau 159, C.A. Chavez Barajas 150, S. Che 112, S. Cheatham 74, A. Chegwidden 92, S. Chekanov 6, S.V. Chekulaev 160a, G.A. Chelkov 67j, M.A. Chelstowska 91, C. Chen 65, H. Chen 26, K. Chen 149, S. Chen 34c, S. Chen 156, X. Chen 34f, Y. Chen 69, H.C. Cheng 91, Y. Cheng 32, A. Cheplakov 67, E. Cheremushkina 131, R. Cherkaoui El Moursli 136e, V. Chernyatin 26,* E. Cheu 7, L. Chevalier 137, V. Chiarella 48, G. Chiarelli 125a, 125b, G. Chiodini 75a, A.S. Chisholm 18, R.T. Chislett 80, A. Chitan 27b, M.V. Chizhov 67, K. Choi 62, S. Chouridou 9, B.K.B. Chow 101, V. Christodoulou 80, D. Chromeck-Burckhart 31, J. Chudoba 128, A.J. Chuinard 89, J.J. Chwastowski 40, L. Chytka 116, G. Ciapetti 133a, 133b, A.K. Ciftci 4a, D. Cinca 54, V. Cindro 77, I.A. Cioara 22, A. Ciocio 15, F. Cirotto 105a, 105b, Z.H. Citron 171, M. Ciubancan 27b, A. Clark 50, B.L. Clark 58, P.J. Clark 47, R.N. Clarke 15, C. Clement 147a, 147b, Y. Coadou 87, M. Cobal 163a, 163c, A. Coccaro 50, J. Cochran 65, L. Coffey 24, L. Colasurdo 107, B. Cole 36, S. Cole 109, A.P. Colijn 108, J. Collot 56, T. Colombo 59c, G. Compostella 102, P. Conde Muiño 127a, 127b, E. Coniavitis 49, S.H. Connell 146b, I.A. Connelly 79, V. Consorti 49, S. Constantinescu 27b, C. Conta 122a, 122b, G. Conti 31, F. Conventi 105a, k, M. Cooke 15,

- B.D. Cooper ⁸⁰, A.M. Cooper-Sarkar ¹²¹, T. Cornelissen ¹⁷⁴, M. Corradi ^{133a,133b}, F. Corriveau ^{89,l},
 A. Corso-Radu ⁶⁶, A. Cortes-Gonzalez ¹², G. Cortiana ¹⁰², G. Costa ^{93a}, M.J. Costa ¹⁶⁶, D. Costanzo ¹⁴⁰,
 G. Cottin ²⁹, G. Cowan ⁷⁹, B.E. Cox ⁸⁶, K. Cranmer ¹¹¹, S.J. Crawley ⁵⁴, G. Cree ³⁰, S. Crépé-Renaudin ⁵⁶,
 F. Crescioli ⁸², W.A. Cribbs ^{147a,147b}, M. Crispin Ortuzar ¹²¹, M. Cristinziani ²², V. Croft ¹⁰⁷,
 G. Crosetti ^{38a,38b}, T. Cuhadar Donszelmann ¹⁴⁰, J. Cummings ¹⁷⁵, M. Curatolo ⁴⁸, J. Cúth ⁸⁵,
 C. Cuthbert ¹⁵¹, H. Czirr ¹⁴², P. Czodrowski ³, S. D'Auria ⁵⁴, M. D'Onofrio ⁷⁶,
 M.J. Da Cunha Sargedas De Sousa ^{127a,127b}, C. Da Via ⁸⁶, W. Dabrowski ^{39a}, T. Dai ⁹¹, O. Dale ¹⁴,
 F. Dallaire ⁹⁶, C. Dallapiccola ⁸⁸, M. Dam ³⁷, J.R. Dandoy ³², N.P. Dang ⁴⁹, A.C. Daniells ¹⁸, M. Danninger ¹⁶⁷,
 M. Dano Hoffmann ¹³⁷, V. Dao ⁴⁹, G. Darbo ^{51a}, S. Darmora ⁸, J. Dassoulas ³, A. Dattagupta ⁶², W. Davey ²²,
 C. David ¹⁶⁸, T. Davidek ¹³⁰, M. Davies ¹⁵⁴, P. Davison ⁸⁰, Y. Davygora ^{59a}, E. Dawe ⁹⁰, I. Dawson ¹⁴⁰,
 R.K. Daya-Ishmukhametova ⁸⁸, K. De ⁸, R. de Asmundis ^{105a}, A. De Benedetti ¹¹⁴, S. De Castro ^{21a,21b},
 S. De Cecco ⁸², N. De Groot ¹⁰⁷, P. de Jong ¹⁰⁸, H. De la Torre ⁸⁴, F. De Lorenzi ⁶⁵, D. De Pedis ^{133a},
 A. De Salvo ^{133a}, U. De Sanctis ¹⁵⁰, A. De Santo ¹⁵⁰, J.B. De Vivie De Regie ¹¹⁸, W.J. Dearnaley ⁷⁴,
 R. Debbe ²⁶, C. Debenedetti ¹³⁸, D.V. Dedovich ⁶⁷, I. Deigaard ¹⁰⁸, J. Del Peso ⁸⁴, T. Del Prete ^{125a,125b},
 D. Delgove ¹¹⁸, F. Deliot ¹³⁷, C.M. Delitzsch ⁵⁰, M. Deliyergiyev ⁷⁷, A. Dell'Acqua ³¹, L. Dell'Asta ²³,
 M. Dell'Orso ^{125a,125b}, M. Della Pietra ^{105a,k}, D. della Volpe ⁵⁰, M. Delmastro ⁵, P.A. Delsart ⁵⁶,
 C. Deluca ¹⁰⁸, D.A. DeMarco ¹⁵⁹, S. Demers ¹⁷⁵, M. Demichev ⁶⁷, A. Demilly ⁸², S.P. Denisov ¹³¹,
 D. Denysiuk ¹³⁷, D. Derendarz ⁴⁰, J.E. Derkaoui ^{136d}, F. Derue ⁸², P. Dervan ⁷⁶, K. Desch ²², C. Deterre ⁴³,
 K. Dette ⁴⁴, P.O. Deviveiros ³¹, A. Dewhurst ¹³², S. Dhalwal ²⁴, A. Di Ciaccio ^{134a,134b}, L. Di Ciaccio ⁵,
 W.K. Di Clemente ¹²³, A. Di Domenico ^{133a,133b}, C. Di Donato ^{133a,133b}, A. Di Girolamo ³¹,
 B. Di Girolamo ³¹, A. Di Mattia ¹⁵³, B. Di Micco ^{135a,135b}, R. Di Nardo ⁴⁸, A. Di Simone ⁴⁹, R. Di Sipio ¹⁵⁹,
 D. Di Valentino ³⁰, C. Diaconu ⁸⁷, M. Diamond ¹⁵⁹, F.A. Dias ⁴⁷, M.A. Diaz ^{33a}, E.B. Diehl ⁹¹, J. Dietrich ¹⁶,
 S. Diglio ⁸⁷, A. Dimitrijevska ¹³, J. Dingfelder ²², P. Dita ^{27b}, S. Dita ^{27b}, F. Dittus ³¹, F. Djama ⁸⁷,
 T. Djobava ^{52b}, J.I. Djuvsland ^{59a}, M.A.B. do Vale ^{25c}, D. Dobos ³¹, M. Dobre ^{27b}, C. Doglioni ⁸³,
 T. Dohmae ¹⁵⁶, J. Dolejsi ¹³⁰, Z. Dolezal ¹³⁰, B.A. Dolgoshein ^{99,*}, M. Donadelli ^{25d}, S. Donati ^{125a,125b},
 P. Dondero ^{122a,122b}, J. Donini ³⁵, J. Dopke ¹³², A. Doria ^{105a}, M.T. Dova ⁷³, A.T. Doyle ⁵⁴, E. Drechsler ⁵⁵,
 M. Dris ¹⁰, Y. Du ^{34d}, J. Duarte-Campos ¹⁵⁴, E. Duchovni ¹⁷¹, G. Duckeck ¹⁰¹, O.A. Ducu ^{27b}, D. Duda ¹⁰⁸,
 A. Dudarev ³¹, L. Duflot ¹¹⁸, L. Duguid ⁷⁹, M. Dührssen ³¹, M. Dunford ^{59a}, H. Duran Yildiz ^{4a}, M. Düren ⁵³,
 A. Durglishvili ^{52b}, D. Duschinger ⁴⁵, B. Dutta ⁴³, M. Dyndal ^{39a}, C. Eckardt ⁴³, K.M. Ecker ¹⁰², R.C. Edgar ⁹¹,
 W. Edson ², N.C. Edwards ⁴⁷, T. Eifert ³¹, G. Eigen ¹⁴, K. Einsweiler ¹⁵, T. Ekelof ¹⁶⁴, M. El Kacimi ^{136c},
 V. Ellajosyula ⁸⁷, M. Ellert ¹⁶⁴, S. Elles ⁵, F. Ellinghaus ¹⁷⁴, A.A. Elliot ¹⁶⁸, N. Ellis ³¹, J. Elmsheuser ¹⁰¹,
 M. Elsing ³¹, D. Emeliyanov ¹³², Y. Enari ¹⁵⁶, O.C. Endner ⁸⁵, M. Endo ¹¹⁹, J.S. Ennis ¹⁶⁹, J. Erdmann ⁴⁴,
 A. Ereditato ¹⁷, G. Ernis ¹⁷⁴, J. Ernst ², M. Ernst ²⁶, S. Errede ¹⁶⁵, E. Ertel ⁸⁵, M. Escalier ¹¹⁸, H. Esch ⁴⁴,
 C. Escobar ¹²⁶, B. Esposito ⁴⁸, A.I. Etienne ¹³⁷, E. Etzion ¹⁵⁴, H. Evans ⁶², A. Ezhilov ¹²⁴, L. Fabbri ^{21a,21b},
 G. Facini ³², R.M. Fakhrutdinov ¹³¹, S. Falciano ^{133a}, R.J. Falla ⁸⁰, J. Faltova ¹³⁰, Y. Fang ^{34a}, M. Fanti ^{93a,93b},
 A. Farbin ⁸, A. Farilla ^{135a}, C. Farina ¹²⁶, T. Farooque ¹², S. Farrell ¹⁵, S.M. Farrington ¹⁶⁹, P. Farthouat ³¹,
 F. Fassi ^{136e}, P. Fassnacht ³¹, D. Fassouliotis ⁹, M. Fauci Giannelli ⁷⁹, A. Favareto ^{51a,51b}, L. Fayard ¹¹⁸,
 O.L. Fedin ^{124,m}, W. Fedorko ¹⁶⁷, S. Feigl ¹²⁰, L. Feligioni ⁸⁷, C. Feng ^{34d}, E.J. Feng ³¹, H. Feng ⁹¹,
 A.B. Fenyuk ¹³¹, L. Feremenga ⁸, P. Fernandez Martinez ¹⁶⁶, S. Fernandez Perez ¹², J. Ferrando ⁵⁴,
 A. Ferrari ¹⁶⁴, P. Ferrari ¹⁰⁸, R. Ferrari ^{122a}, D.E. Ferreira de Lima ⁵⁴, A. Ferrer ¹⁶⁶, D. Ferrere ⁵⁰,
 C. Ferretti ⁹¹, A. Ferretto Parodi ^{51a,51b}, F. Fiedler ⁸⁵, A. Filipčič ⁷⁷, M. Filipuzzi ⁴³, F. Filthaut ¹⁰⁷,
 M. Fincke-Keeler ¹⁶⁸, K.D. Finelli ¹⁵¹, M.C.N. Fiolhais ^{127a,127c}, L. Fiorini ¹⁶⁶, A. Firan ⁴¹, A. Fischer ²,
 C. Fischer ¹², J. Fischer ¹⁷⁴, W.C. Fisher ⁹², N. Flaschel ⁴³, I. Fleck ¹⁴², P. Fleischmann ⁹¹, G.T. Fletcher ¹⁴⁰,
 G. Fletcher ⁷⁸, R.R.M. Fletcher ¹²³, T. Flick ¹⁷⁴, A. Floderus ⁸³, L.R. Flores Castillo ^{61a}, M.J. Flowerdew ¹⁰²,
 G.T. Forcolin ⁸⁶, A. Formica ¹³⁷, A. Forti ⁸⁶, D. Fournier ¹¹⁸, H. Fox ⁷⁴, S. Fracchia ¹², P. Francavilla ⁸²,
 M. Franchini ^{21a,21b}, D. Francis ³¹, L. Franconi ¹²⁰, M. Franklin ⁵⁸, M. Frate ⁶⁶, M. Fraternali ^{122a,122b},
 D. Freeborn ⁸⁰, S.M. Fressard-Batraneanu ³¹, F. Friedrich ⁴⁵, D. Froidevaux ³¹, J.A. Frost ¹²¹, C. Fukunaga ¹⁵⁷,
 E. Fullana Torregrosa ⁸⁵, T. Fusayasu ¹⁰³, J. Fuster ¹⁶⁶, C. Gabaldon ⁵⁶, O. Gabizon ¹⁷⁴, A. Gabrielli ^{21a,21b},
 A. Gabrielli ¹⁵, G.P. Gach ^{39a}, S. Gadatsch ³¹, S. Gadomski ⁵⁰, G. Gagliardi ^{51a,51b}, P. Gagnon ⁶², C. Galea ¹⁰⁷,
 B. Galhardo ^{127a,127c}, E.J. Gallas ¹²¹, B.J. Gallop ¹³², P. Gallus ¹²⁹, G. Galster ³⁷, K.K. Gan ¹¹², J. Gao ^{34b,87},
 Y. Gao ⁴⁷, Y.S. Gao ^{144,f}, F.M. Garay Walls ⁴⁷, C. García ¹⁶⁶, J.E. García Navarro ¹⁶⁶, M. Garcia-Sciveres ¹⁵,
 R.W. Gardner ³², N. Garelli ¹⁴⁴, V. Garonne ¹²⁰, A. Gascon Bravo ⁴³, C. Gatti ⁴⁸, A. Gaudiello ^{51a,51b},

- G. Gaudio ^{122a}, B. Gaur ¹⁴², L. Gauthier ⁹⁶, I.L. Gavrilenko ⁹⁷, C. Gay ¹⁶⁷, G. Gaycken ²², E.N. Gazis ¹⁰, Z. Gecse ¹⁶⁷, C.N.P. Gee ¹³², Ch. Geich-Gimbel ²², M.P. Geisler ^{59a}, C. Gemme ^{51a}, M.H. Genest ⁵⁶, C. Geng ^{34b,n}, S. Gentile ^{133a,133b}, S. George ⁷⁹, D. Gerbaudo ⁶⁶, A. Gershon ¹⁵⁴, S. Ghasemi ¹⁴², H. Ghazlane ^{136b}, B. Giacobbe ^{21a}, S. Giagu ^{133a,133b}, P. Giannetti ^{125a,125b}, B. Gibbard ²⁶, S.M. Gibson ⁷⁹, M. Gignac ¹⁶⁷, M. Gilchriese ¹⁵, T.P.S. Gillam ²⁹, D. Gillberg ³⁰, G. Gilles ¹⁷⁴, D.M. Gingrich ^{3,d}, N. Giokaris ⁹, M.P. Giordani ^{163a,163c}, F.M. Giorgi ^{21a}, F.M. Giorgi ¹⁶, P.F. Giraud ¹³⁷, P. Giromini ⁵⁸, D. Giugni ^{93a}, C. Giuliani ¹⁰², M. Giulini ^{59b}, B.K. Gjelsten ¹²⁰, S. Gkaitatzis ¹⁵⁵, I. Gkialas ¹⁵⁵, E.L. Gkougkousis ¹¹⁸, L.K. Gladilin ¹⁰⁰, C. Glasman ⁸⁴, J. Glatzer ³¹, P.C.F. Glaysher ⁴⁷, A. Glazov ⁴³, M. Goblirsch-Kolb ¹⁰², J. Godlewski ⁴⁰, S. Goldfarb ⁹¹, T. Golling ⁵⁰, D. Golubkov ¹³¹, A. Gomes ^{127a,127b,127d}, R. Gonçalo ^{127a}, J. Goncalves Pinto Firmino Da Costa ¹³⁷, L. Gonella ²², A. Gongadze ⁶⁷, S. González de la Hoz ¹⁶⁶, G. Gonzalez Parra ¹², S. Gonzalez-Sevilla ⁵⁰, L. Goossens ³¹, P.A. Gorbounov ⁹⁸, H.A. Gordon ²⁶, I. Gorelov ¹⁰⁶, B. Gorini ³¹, E. Gorini ^{75a,75b}, A. Gorišek ⁷⁷, E. Gornicki ⁴⁰, A.T. Goshaw ⁴⁶, C. Gössling ⁴⁴, M.I. Gostkin ⁶⁷, C.R. Goudet ¹¹⁸, D. Goujdami ^{136c}, A.G. Goussiou ¹³⁹, N. Govender ^{146b}, E. Gozani ¹⁵³, L. Graber ⁵⁵, I. Grabowska-Bold ^{39a}, P.O.J. Gradin ¹⁶⁴, P. Grafström ^{21a,21b}, J. Gramling ⁵⁰, E. Gramstad ¹²⁰, S. Grancagnolo ¹⁶, V. Gratchev ¹²⁴, H.M. Gray ³¹, E. Graziani ^{135a}, Z.D. Greenwood ^{81,o}, C. Grefe ²², K. Gregersen ⁸⁰, I.M. Gregor ⁴³, P. Grenier ¹⁴⁴, K. Grevtsov ⁵, J. Griffiths ⁸, A.A. Grillo ¹³⁸, K. Grimm ⁷⁴, S. Grinstein ^{12,p}, Ph. Gris ³⁵, J.-F. Grivaz ¹¹⁸, S. Groh ⁸⁵, J.P. Grohs ⁴⁵, E. Gross ¹⁷¹, J. Grosse-Knetter ⁵⁵, G.C. Grossi ⁸¹, Z.J. Grout ¹⁵⁰, L. Guan ⁹¹, J. Guenther ¹²⁹, F. Guescini ⁵⁰, D. Guest ⁶⁶, O. Gueta ¹⁵⁴, E. Guido ^{51a,51b}, T. Guillemin ⁵, S. Guindon ², U. Gul ⁵⁴, C. Gumpert ³¹, J. Guo ^{34e}, Y. Guo ^{34b,n}, S. Gupta ¹²¹, G. Gustavino ^{133a,133b}, P. Gutierrez ¹¹⁴, N.G. Gutierrez Ortiz ⁸⁰, C. Gutschow ⁴⁵, C. Guyot ¹³⁷, C. Gwenlan ¹²¹, C.B. Gwilliam ⁷⁶, A. Haas ¹¹¹, C. Haber ¹⁵, H.K. Hadavand ⁸, N. Haddad ^{136e}, A. Hadef ⁸⁷, P. Haefner ²², S. Hageböck ²², Z. Hajduk ⁴⁰, H. Hakobyan ^{176,*}, M. Haleem ⁴³, J. Haley ¹¹⁵, D. Hall ¹²¹, G. Halladjian ⁹², G.D. Hallewell ⁸⁷, K. Hamacher ¹⁷⁴, P. Hamal ¹¹⁶, K. Hamano ¹⁶⁸, A. Hamilton ^{146a}, G.N. Hamity ¹⁴⁰, P.G. Hamnett ⁴³, L. Han ^{34b}, K. Hanagaki ^{68,q}, K. Hanawa ¹⁵⁶, M. Hance ¹³⁸, B. Haney ¹²³, P. Hanke ^{59a}, R. Hanna ¹³⁷, J.B. Hansen ³⁷, J.D. Hansen ³⁷, M.C. Hansen ²², P.H. Hansen ³⁷, K. Hara ¹⁶¹, A.S. Hard ¹⁷², T. Harenberg ¹⁷⁴, F. Hariri ¹¹⁸, S. Harkusha ⁹⁴, R.D. Harrington ⁴⁷, P.F. Harrison ¹⁶⁹, F. Hartjes ¹⁰⁸, M. Hasegawa ⁶⁹, Y. Hasegawa ¹⁴¹, A. Hasib ¹¹⁴, S. Hassani ¹³⁷, S. Haug ¹⁷, R. Hauser ⁹², L. Hauswald ⁴⁵, M. Havranek ¹²⁸, C.M. Hawkes ¹⁸, R.J. Hawkings ³¹, A.D. Hawkins ⁸³, T. Hayashi ¹⁶¹, D. Hayden ⁹², C.P. Hays ¹²¹, J.M. Hays ⁷⁸, H.S. Hayward ⁷⁶, S.J. Haywood ¹³², S.J. Head ¹⁸, T. Heck ⁸⁵, V. Hedberg ⁸³, L. Heelan ⁸, S. Heim ¹²³, T. Heim ¹⁵, B. Heinemann ¹⁵, J.J. Heinrich ¹⁰¹, L. Heinrich ¹¹¹, C. Heinz ⁵³, J. Hejbal ¹²⁸, L. Helary ²³, S. Hellman ^{147a,147b}, C. Helsens ³¹, J. Henderson ¹²¹, R.C.W. Henderson ⁷⁴, Y. Heng ¹⁷², S. Henkelmann ¹⁶⁷, A.M. Henriques Correia ³¹, S. Henrot-Versille ¹¹⁸, G.H. Herbert ¹⁶, Y. Hernández Jiménez ¹⁶⁶, G. Herten ⁴⁹, R. Hertenberger ¹⁰¹, L. Hervas ³¹, G.G. Hesketh ⁸⁰, N.P. Hessey ¹⁰⁸, J.W. Hetherly ⁴¹, R. Hickling ⁷⁸, E. Higón-Rodriguez ¹⁶⁶, E. Hill ¹⁶⁸, J.C. Hill ²⁹, K.H. Hiller ⁴³, S.J. Hillier ¹⁸, I. Hinchliffe ¹⁵, E. Hines ¹²³, R.R. Hinman ¹⁵, M. Hirose ¹⁵⁸, D. Hirschbuehl ¹⁷⁴, J. Hobbs ¹⁴⁹, N. Hod ¹⁰⁸, M.C. Hodgkinson ¹⁴⁰, P. Hodgson ¹⁴⁰, A. Hoecker ³¹, M.R. Hoeferkamp ¹⁰⁶, F. Hoenig ¹⁰¹, M. Hohlfeld ⁸⁵, D. Hohn ²², T.R. Holmes ¹⁵, M. Homann ⁴⁴, T.M. Hong ¹²⁶, B.H. Hooberman ¹⁶⁵, W.H. Hopkins ¹¹⁷, Y. Horii ¹⁰⁴, A.J. Horton ¹⁴³, J-Y. Hostachy ⁵⁶, S. Hou ¹⁵², A. Hoummada ^{136a}, J. Howard ¹²¹, J. Howarth ⁴³, M. Hrabovsky ¹¹⁶, I. Hristova ¹⁶, J. Hrivnac ¹¹⁸, T. Hrynevich ⁹⁵, C. Hsu ^{146c}, P.J. Hsu ^{152,r}, S.-C. Hsu ¹³⁹, D. Hu ³⁶, Q. Hu ^{34b}, Y. Huang ⁴³, Z. Hubacek ¹²⁹, F. Hubaut ⁸⁷, F. Huegging ²², T.B. Huffman ¹²¹, E.W. Hughes ³⁶, G. Hughes ⁷⁴, M. Huhtinen ³¹, T.A. Hülsing ⁸⁵, N. Huseynov ^{67,b}, J. Huston ⁹², J. Huth ⁵⁸, G. Jacobucci ⁵⁰, G. Iakovidis ²⁶, I. Ibragimov ¹⁴², L. Iconomidou-Fayard ¹¹⁸, E. Ideal ¹⁷⁵, Z. Idrissi ^{136e}, P. Iengo ³¹, O. Igonkina ¹⁰⁸, T. Iizawa ¹⁷⁰, Y. Ikegami ⁶⁸, M. Ikeno ⁶⁸, Y. Ilchenko ^{32,s}, D. Iliadis ¹⁵⁵, N. Ilic ¹⁴⁴, T. Ince ¹⁰², G. Introzzi ^{122a,122b}, P. Ioannou ^{9,*}, M. Iodice ^{135a}, K. Iordanidou ³⁶, V. Ippolito ⁵⁸, A. Irles Quiles ¹⁶⁶, C. Isaksson ¹⁶⁴, M. Ishino ⁷⁰, M. Ishitsuka ¹⁵⁸, R. Ishmukhametov ¹¹², C. Issever ¹²¹, S. Istiin ^{19a}, J.M. Iturbe Ponce ⁸⁶, R. Iuppa ^{134a,134b}, J. Ivarsson ⁸³, W. Iwanski ⁴⁰, H. Iwasaki ⁶⁸, J.M. Izen ⁴², V. Izzo ^{105a}, S. Jabbar ³, B. Jackson ¹²³, M. Jackson ⁷⁶, P. Jackson ¹, V. Jain ², K.B. Jakobi ⁸⁵, K. Jakobs ⁴⁹, S. Jakobsen ³¹, T. Jakoubek ¹²⁸, D.O. Jamin ¹¹⁵, D.K. Jana ⁸¹, E. Jansen ⁸⁰, R. Jansky ⁶³, J. Janssen ²², M. Janus ⁵⁵, G. Jarlskog ⁸³, N. Javadov ^{67,b}, T. Javůrek ⁴⁹, F. Jeanneau ¹³⁷, L. Jeanty ¹⁵, J. Jejelava ^{52a,t}, G.-Y. Jeng ¹⁵¹, D. Jennens ⁹⁰, P. Jenni ^{49,u}, J. Jentzsch ⁴⁴, C. Jeske ¹⁶⁹, S. Jézéquel ⁵, H. Ji ¹⁷², J. Jia ¹⁴⁹, H. Jiang ⁶⁵, Y. Jiang ^{34b}, S. Jiggins ⁸⁰, J. Jimenez Pena ¹⁶⁶, S. Jin ^{34a}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵⁸, P. Johansson ¹⁴⁰,

- K.A. Johns ⁷, W.J. Johnson ¹³⁹, K. Jon-And ^{147a,147b}, G. Jones ¹⁶⁹, R.W.L. Jones ⁷⁴, S. Jones ⁷, T.J. Jones ⁷⁶, J. Jongmanns ^{59a}, P.M. Jorge ^{127a,127b}, J. Jovicevic ^{160a}, X. Ju ¹⁷², A. Juste Rozas ^{12,p}, M.K. Köhler ¹⁷¹, M. Kaci ¹⁶⁶, A. Kaczmarska ⁴⁰, M. Kado ¹¹⁸, H. Kagan ¹¹², M. Kagan ¹⁴⁴, S.J. Kahn ⁸⁷, E. Kajomovitz ⁴⁶, C.W. Kalderon ¹²¹, A. Kaluza ⁸⁵, S. Kama ⁴¹, A. Kamenshchikov ¹³¹, N. Kanaya ¹⁵⁶, S. Kaneti ²⁹, V.A. Kantserov ⁹⁹, J. Kanzaki ⁶⁸, B. Kaplan ¹¹¹, L.S. Kaplan ¹⁷², A. Kapliy ³², D. Kar ^{146c}, K. Karakostas ¹⁰, A. Karamaoun ³, N. Karastathis ^{10,108}, M.J. Kareem ⁵⁵, E. Karentzos ¹⁰, M. Karnevskiy ⁸⁵, S.N. Karpov ⁶⁷, Z.M. Karpova ⁶⁷, K. Karthik ¹¹¹, V. Kartvelishvili ⁷⁴, A.N. Karyukhin ¹³¹, K. Kasahara ¹⁶¹, L. Kashif ¹⁷², R.D. Kass ¹¹², A. Kastanas ¹⁴, Y. Kataoka ¹⁵⁶, C. Kato ¹⁵⁶, A. Katre ⁵⁰, J. Katzy ⁴³, K. Kawade ¹⁰⁴, K. Kawagoe ⁷², T. Kawamoto ¹⁵⁶, G. Kawamura ⁵⁵, S. Kazama ¹⁵⁶, V.F. Kazanin ^{110,c}, R. Keeler ¹⁶⁸, R. Kehoe ⁴¹, J.S. Keller ⁴³, J.J. Kempster ⁷⁹, H. Keoshkerian ⁸⁶, O. Kepka ¹²⁸, B.P. Kerševan ⁷⁷, S. Kersten ¹⁷⁴, R.A. Keyes ⁸⁹, F. Khalil-zada ¹¹, H. Khandanyan ^{147a,147b}, A. Khanov ¹¹⁵, A.G. Kharlamov ^{110,c}, T.J. Khoo ²⁹, V. Khovanskiy ⁹⁸, E. Khramov ⁶⁷, J. Khubua ^{52b,v}, S. Kido ⁶⁹, H.Y. Kim ⁸, S.H. Kim ¹⁶¹, Y.K. Kim ³², N. Kimura ¹⁵⁵, O.M. Kind ¹⁶, B.T. King ⁷⁶, M. King ¹⁶⁶, S.B. King ¹⁶⁷, J. Kirk ¹³², A.E. Kiryunin ¹⁰², T. Kishimoto ⁶⁹, D. Kisielewska ^{39a}, F. Kiss ⁴⁹, K. Kiuchi ¹⁶¹, O. Kivernyk ¹³⁷, E. Kladiva ^{145b}, M.H. Klein ³⁶, M. Klein ⁷⁶, U. Klein ⁷⁶, K. Kleinknecht ⁸⁵, P. Klimek ^{147a,147b}, A. Klimentov ²⁶, R. Klingenberg ⁴⁴, J.A. Klinger ¹⁴⁰, T. Klioutchnikova ³¹, E.-E. Kluge ^{59a}, P. Kluit ¹⁰⁸, S. Kluth ¹⁰², J. Knapik ⁴⁰, E. Kneringer ⁶³, E.B.F.G. Knoops ⁸⁷, A. Knue ⁵⁴, A. Kobayashi ¹⁵⁶, D. Kobayashi ¹⁵⁸, T. Kobayashi ¹⁵⁶, M. Kobel ⁴⁵, M. Kocian ¹⁴⁴, P. Kodys ¹³⁰, T. Koffas ³⁰, E. Koffeman ¹⁰⁸, L.A. Kogan ¹²¹, S. Kohlmann ¹⁷⁴, T. Kohriki ⁶⁸, T. Koi ¹⁴⁴, H. Kolanoski ¹⁶, M. Kolb ^{59b}, I. Koletsou ⁵, A.A. Komar ^{97,*}, Y. Komori ¹⁵⁶, T. Kondo ⁶⁸, N. Kondrashova ⁴³, K. Köneke ⁴⁹, A.C. König ¹⁰⁷, T. Kono ^{68,w}, R. Konoplich ^{111,x}, N. Konstantinidis ⁸⁰, R. Kopeliansky ⁶², S. Koperny ^{39a}, L. Köpke ⁸⁵, A.K. Kopp ⁴⁹, K. Korcyl ⁴⁰, K. Kordas ¹⁵⁵, A. Korn ⁸⁰, A.A. Korol ^{110,c}, I. Korolkov ¹², E.V. Korolkova ¹⁴⁰, O. Kortner ¹⁰², S. Kortner ¹⁰², T. Kosek ¹³⁰, V.V. Kostyukhin ²², V.M. Kotov ⁶⁷, A. Kotwal ⁴⁶, A. Kourkoumeli-Charalampidi ¹⁵⁵, C. Kourkoumelis ⁹, V. Kouskoura ²⁶, A. Koutsman ^{160a}, R. Kowalewski ¹⁶⁸, T.Z. Kowalski ^{39a}, W. Kozanecki ¹³⁷, A.S. Kozhin ¹³¹, V.A. Kramarenko ¹⁰⁰, G. Kramberger ⁷⁷, D. Krasnopevtsev ⁹⁹, M.W. Krasny ⁸², A. Krasznahorkay ³¹, J.K. Kraus ²², A. Kravchenko ²⁶, M. Kretz ^{59c}, J. Kretzschmar ⁷⁶, K. Kreutzfeldt ⁵³, P. Krieger ¹⁵⁹, K. Krizka ³², K. Kroeninger ⁴⁴, H. Kroha ¹⁰², J. Kroll ¹²³, J. Kroseberg ²², J. Krstic ¹³, U. Kruchonak ⁶⁷, H. Krüger ²², N. Krumnack ⁶⁵, A. Kruse ¹⁷², M.C. Kruse ⁴⁶, M. Kruskal ²³, T. Kubota ⁹⁰, H. Kucuk ⁸⁰, S. Kuday ^{4b}, J.T. Kuechler ¹⁷⁴, S. Kuehn ⁴⁹, A. Kugel ^{59c}, F. Kuger ¹⁷³, A. Kuhl ¹³⁸, T. Kuhl ⁴³, V. Kukhtin ⁶⁷, R. Kukla ¹³⁷, Y. Kulchitsky ⁹⁴, S. Kuleshov ^{33b}, M. Kuna ^{133a,133b}, T. Kunigo ⁷⁰, A. Kupco ¹²⁸, H. Kurashige ⁶⁹, Y.A. Kurochkin ⁹⁴, V. Kus ¹²⁸, E.S. Kuwertz ¹⁶⁸, M. Kuze ¹⁵⁸, J. Kvita ¹¹⁶, T. Kwan ¹⁶⁸, D. Kyriazopoulos ¹⁴⁰, A. La Rosa ¹⁰², J.L. La Rosa Navarro ^{25d}, L. La Rotonda ^{38a,38b}, C. Lacasta ¹⁶⁶, F. Lacava ^{133a,133b}, J. Lacey ³⁰, H. Lacker ¹⁶, D. Lacour ⁸², V.R. Lacuesta ¹⁶⁶, E. Ladygin ⁶⁷, R. Lafaye ⁵, B. Laforge ⁸², T. Lagouri ¹⁷⁵, S. Lai ⁵⁵, S. Lammers ⁶², C.L. Lampen ⁷, W. Lampl ⁷, E. Lançon ¹³⁷, U. Landgraf ⁴⁹, M.P.J. Landon ⁷⁸, V.S. Lang ^{59a}, J.C. Lange ¹², A.J. Lankford ⁶⁶, F. Lanni ²⁶, K. Lantzsch ²², A. Lanza ^{122a}, S. Laplace ⁸², C. Lapoire ³¹, J.F. Laporte ¹³⁷, T. Lari ^{93a}, F. Lasagni Manghi ^{21a,21b}, M. Lassnig ³¹, P. Laurelli ⁴⁸, W. Lavrijsen ¹⁵, A.T. Law ¹³⁸, P. Laycock ⁷⁶, T. Lazovich ⁵⁸, O. Le Dortz ⁸², E. Le Guirriec ⁸⁷, E. Le Menedeu ¹², M. LeBlanc ¹⁶⁸, T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁶, C.A. Lee ²⁶, S.C. Lee ¹⁵², L. Lee ¹, G. Lefebvre ⁸², M. Lefebvre ¹⁶⁸, F. Legger ¹⁰¹, C. Leggett ¹⁵, A. Lehan ⁷⁶, G. Lehmann Miotto ³¹, X. Lei ⁷, W.A. Leight ³⁰, A. Leisos ^{155,y}, A.G. Leister ¹⁷⁵, M.A.L. Leite ^{25d}, R. Leitner ¹³⁰, D. Lellouch ¹⁷¹, B. Lemmer ⁵⁵, K.J.C. Leney ⁸⁰, T. Lenz ²², B. Lenzi ³¹, R. Leone ⁷, S. Leone ^{125a,125b}, C. Leonidopoulos ⁴⁷, S. Leontsinis ¹⁰, C. Leroy ⁹⁶, C.G. Lester ²⁹, M. Levchenko ¹²⁴, J. Levêque ⁵, D. Levin ⁹¹, L.J. Levinson ¹⁷¹, M. Levy ¹⁸, A.M. Leyko ²², M. Leyton ⁴², B. Li ^{34b,z}, H. Li ¹⁴⁹, H.L. Li ³², L. Li ⁴⁶, L. Li ^{34e}, Q. Li ^{34a}, S. Li ⁴⁶, X. Li ⁸⁶, Y. Li ¹⁴², Z. Liang ¹³⁸, H. Liao ³⁵, B. Liberti ^{134a}, A. Liblong ¹⁵⁹, P. Lichard ³¹, K. Lie ¹⁶⁵, J. Liebal ²², W. Liebig ¹⁴, C. Limbach ²², A. Limosani ¹⁵¹, S.C. Lin ^{152,aa}, T.H. Lin ⁸⁵, B.E. Lindquist ¹⁴⁹, E. Lipeles ¹²³, A. Lipniacka ¹⁴, M. Lisovyi ^{59b}, T.M. Liss ¹⁶⁵, D. Lissauer ²⁶, A. Lister ¹⁶⁷, A.M. Litke ¹³⁸, B. Liu ^{152,ab}, D. Liu ¹⁵², H. Liu ⁹¹, H. Liu ²⁶, J. Liu ⁸⁷, J.B. Liu ^{34b}, K. Liu ⁸⁷, L. Liu ¹⁶⁵, M. Liu ⁴⁶, M. Liu ^{34b}, Y.L. Liu ^{34b}, Y. Liu ^{34b}, M. Livan ^{122a,122b}, A. Lleres ⁵⁶, J. Llorente Merino ⁸⁴, S.L. Lloyd ⁷⁸, F. Lo Sterzo ¹⁵², E. Lobodzinska ⁴³, P. Loch ⁷, W.S. Lockman ¹³⁸, F.K. Loebinger ⁸⁶, A.E. Loevschall-Jensen ³⁷, K.M. Loew ²⁴, A. Loginov ¹⁷⁵, T. Lohse ¹⁶, K. Lohwasser ⁴³, M. Lokajicek ¹²⁸, B.A. Long ²³, J.D. Long ¹⁶⁵, R.E. Long ⁷⁴, L. Longo ^{75a,75b}, K.A.Looper ¹¹², L. Lopes ^{127a}, D. Lopez Mateos ⁵⁸, B. Lopez Paredes ¹⁴⁰, I. Lopez Paz ¹², A. Lopez Solis ⁸², J. Lorenz ¹⁰¹, N. Lorenzo Martinez ⁶², M. Losada ²⁰, P.J. Lösel ¹⁰¹, X. Lou ^{34a}, A. Lounis ¹¹⁸, J. Love ⁶, P.A. Love ⁷⁴,

- H. Lu ^{61a}, N. Lu ⁹¹, H.J. Lubatti ¹³⁹, C. Luci ^{133a,133b}, A. Lucotte ⁵⁶, C. Luedtke ⁴⁹, F. Luehring ⁶², W. Lukas ⁶³, L. Luminari ^{133a}, O. Lundberg ^{147a,147b}, B. Lund-Jensen ¹⁴⁸, D. Lynn ²⁶, R. Lysak ¹²⁸, E. Lytken ⁸³, H. Ma ²⁶, L.L. Ma ^{34d}, G. Maccarrone ⁴⁸, A. Macchiolo ¹⁰², C.M. Macdonald ¹⁴⁰, B. Maček ⁷⁷,
 J. Machado Miguens ^{123,127b}, D. Madaffari ⁸⁷, R. Madar ³⁵, H.J. Maddocks ¹⁶⁴, W.F. Mader ⁴⁵, A. Madsen ⁴³,
 J. Maeda ⁶⁹, S. Maeland ¹⁴, T. Maeno ²⁶, A. Maevskiy ¹⁰⁰, E. Magradze ⁵⁵, J. Mahlstedt ¹⁰⁸, C. Maiani ¹¹⁸,
 C. Maidantchik ^{25a}, A.A. Maier ¹⁰², T. Maier ¹⁰¹, A. Maio ^{127a,127b,127d}, S. Majewski ¹¹⁷, Y. Makida ⁶⁸,
 N. Makovec ¹¹⁸, B. Malaescu ⁸², Pa. Malecki ⁴⁰, V.P. Maleev ¹²⁴, F. Malek ⁵⁶, U. Mallik ⁶⁴, D. Malon ⁶,
 C. Malone ¹⁴⁴, S. Maltezos ¹⁰, V.M. Malyshев ¹¹⁰, S. Malyukov ³¹, J. Mamuzic ⁴³, G. Mancini ⁴⁸,
 B. Mandelli ³¹, L. Mandelli ^{93a}, I. Mandić ⁷⁷, J. Maneira ^{127a,127b}, L. Manhaes de Andrade Filho ^{25b},
 J. Manjarres Ramos ^{160b}, A. Mann ¹⁰¹, B. Mansoulie ¹³⁷, R. Mantifel ⁸⁹, M. Mantoani ⁵⁵, S. Manzoni ^{93a,93b},
 L. Mapelli ³¹, G. Marceca ²⁸, L. March ⁵⁰, G. Marchiori ⁸², M. Marcisovsky ¹²⁸, M. Marjanovic ¹³,
 D.E. Marley ⁹¹, F. Marroquim ^{25a}, S.P. Marsden ⁸⁶, Z. Marshall ¹⁵, L.F. Marti ¹⁷, S. Marti-Garcia ¹⁶⁶,
 B. Martin ⁹², T.A. Martin ¹⁶⁹, V.J. Martin ⁴⁷, B. Martin dit Latour ¹⁴, M. Martinez ^{12,p}, S. Martin-Haugh ¹³²,
 V.S. Martoiu ^{27b}, A.C. Martyniuk ⁸⁰, M. Marx ¹³⁹, F. Marzano ^{133a}, A. Marzin ³¹, L. Masetti ⁸⁵,
 T. Mashimo ¹⁵⁶, R. Mashinistov ⁹⁷, J. Masik ⁸⁶, A.L. Maslennikov ^{110,c}, I. Massa ^{21a,21b}, L. Massa ^{21a,21b},
 P. Mastrandrea ⁵, A. Mastoberardino ^{38a,38b}, T. Masubuchi ¹⁵⁶, P. Mättig ¹⁷⁴, J. Mattmann ⁸⁵, J. Maurer ^{27b},
 S.J. Maxfield ⁷⁶, D.A. Maximov ^{110,c}, R. Mazini ¹⁵², S.M. Mazza ^{93a,93b}, N.C. Mc Fadden ¹⁰⁶,
 G. Mc Goldrick ¹⁵⁹, S.P. Mc Kee ⁹¹, A. McCarn ⁹¹, R.L. McCarthy ¹⁴⁹, T.G. McCarthy ³⁰, K.W. McFarlane ^{57,*},
 J.A. McFayden ⁸⁰, G. Mchedlidze ⁵⁵, S.J. McMahon ¹³², R.A. McPherson ^{168,l}, M. Medinnis ⁴³, S. Meehan ¹³⁹,
 S. Mehlhase ¹⁰¹, A. Mehta ⁷⁶, K. Meier ^{59a}, C. Meineck ¹⁰¹, B. Meirose ⁴², B.R. Mellado Garcia ^{146c},
 F. Meloni ¹⁷, A. Mengarelli ^{21a,21b}, S. Menke ¹⁰², E. Meoni ¹⁶², K.M. Mercurio ⁵⁸, S. Mergelmeyer ¹⁶,
 P. Mermod ⁵⁰, L. Merola ^{105a,105b}, C. Meroni ^{93a}, F.S. Merritt ³², A. Messina ^{133a,133b}, J. Metcalfe ⁶,
 A.S. Mete ⁶⁶, C. Meyer ⁸⁵, C. Meyer ¹²³, J.-P. Meyer ¹³⁷, J. Meyer ¹⁰⁸, H. Meyer Zu Theenhausen ^{59a},
 R.P. Middleton ¹³², S. Miglioranzi ^{163a,163c}, L. Mijović ²², G. Mikenberg ¹⁷¹, M. Mikestikova ¹²⁸, M. Mikuž ⁷⁷,
 M. Milesi ⁹⁰, A. Milic ³¹, D.W. Miller ³², C. Mills ⁴⁷, A. Milov ¹⁷¹, D.A. Milstead ^{147a,147b}, A.A. Minaenko ¹³¹,
 Y. Minami ¹⁵⁶, I.A. Minashvili ⁶⁷, A.I. Mincer ¹¹¹, B. Mindur ^{39a}, M. Mineev ⁶⁷, Y. Ming ¹⁷², L.M. Mir ¹²,
 K.P. Mistry ¹²³, T. Mitani ¹⁷⁰, J. Mitrevski ¹⁰¹, V.A. Mitsou ¹⁶⁶, A. Miucci ⁵⁰, P.S. Miyagawa ¹⁴⁰,
 J.U. Mjörnmark ⁸³, T. Moa ^{147a,147b}, K. Mochizuki ⁸⁷, S. Mohapatra ³⁶, W. Mohr ⁴⁹, S. Molander ^{147a,147b},
 R. Moles-Valls ²², R. Monden ⁷⁰, M.C. Mondragon ⁹², K. Mönig ⁴³, J. Monk ³⁷, E. Monnier ⁸⁷,
 A. Montalbano ¹⁴⁹, J. Montejo Berlingen ³¹, F. Monticelli ⁷³, S. Monzani ^{93a,93b}, R.W. Moore ³,
 N. Morange ¹¹⁸, D. Moreno ²⁰, M. Moreno Llácer ⁵⁵, P. Morettini ^{51a}, D. Mori ¹⁴³, T. Mori ¹⁵⁶, M. Morii ⁵⁸,
 M. Morinaga ¹⁵⁶, V. Morisbak ¹²⁰, S. Moritz ⁸⁵, A.K. Morley ¹⁵¹, G. Mornacchi ³¹, J.D. Morris ⁷⁸,
 S.S. Mortensen ³⁷, L. Morvaj ¹⁴⁹, M. Mosidze ^{52b}, J. Moss ¹⁴⁴, K. Motohashi ¹⁵⁸, R. Mount ¹⁴⁴,
 E. Mountricha ²⁶, S.V. Mouraviev ^{97,*}, E.J.W. Moyse ⁸⁸, S. Muanza ⁸⁷, R.D. Mudd ¹⁸, F. Mueller ¹⁰²,
 J. Mueller ¹²⁶, R.S.P. Mueller ¹⁰¹, T. Mueller ²⁹, D. Muenstermann ⁷⁴, P. Mullen ⁵⁴, G.A. Mullier ¹⁷,
 F.J. Munoz Sanchez ⁸⁶, J.A. Murillo Quijada ¹⁸, W.J. Murray ^{169,132}, H. Musheghyan ⁵⁵, A.G. Myagkov ^{131,ac},
 M. Myska ¹²⁹, B.P. Nachman ¹⁴⁴, O. Nackenhorst ⁵⁰, J. Nadal ⁵⁵, K. Nagai ¹²¹, R. Nagai ^{68,w}, Y. Nagai ⁸⁷,
 K. Nagano ⁶⁸, Y. Nagasaka ⁶⁰, K. Nagata ¹⁶¹, M. Nagel ¹⁰², E. Nagy ⁸⁷, A.M. Nairz ³¹, Y. Nakahama ³¹,
 K. Nakamura ⁶⁸, T. Nakamura ¹⁵⁶, I. Nakano ¹¹³, H. Namasivayam ⁴², R.F. Naranjo Garcia ⁴³, R. Narayan ³²,
 D.I. Narrias Villar ^{59a}, I. Naryshkin ¹²⁴, T. Naumann ⁴³, G. Navarro ²⁰, R. Nayyar ⁷, H.A. Neal ⁹¹,
 P.Yu. Nechaeva ⁹⁷, T.J. Neep ⁸⁶, P.D. Nef ¹⁴⁴, A. Negri ^{122a,122b}, M. Negrini ^{21a}, S. Nektarijevic ¹⁰⁷,
 C. Nellist ¹¹⁸, A. Nelson ⁶⁶, S. Nemecek ¹²⁸, P. Nemethy ¹¹¹, A.A. Nepomuceno ^{25a}, M. Nessi ^{31,ad},
 M.S. Neubauer ¹⁶⁵, M. Neumann ¹⁷⁴, R.M. Neves ¹¹¹, P. Nevski ²⁶, P.R. Newman ¹⁸, D.H. Nguyen ⁶,
 R.B. Nickerson ¹²¹, R. Nicolaïdou ¹³⁷, B. Nicquevert ³¹, J. Nielsen ¹³⁸, A. Nikiforov ¹⁶, V. Nikolaenko ^{131,ac},
 I. Nikolic-Audit ⁸², K. Nikolopoulos ¹⁸, J.K. Nilsen ¹²⁰, P. Nilsson ²⁶, Y. Ninomiya ¹⁵⁶, A. Nisati ^{133a},
 R. Nisius ¹⁰², T. Nobe ¹⁵⁶, L. Nodulman ⁶, M. Nomachi ¹¹⁹, I. Nomidis ³⁰, T. Nooney ⁷⁸, S. Norberg ¹¹⁴,
 M. Nordberg ³¹, O. Novgorodova ⁴⁵, S. Nowak ¹⁰², M. Nozaki ⁶⁸, L. Nozka ¹¹⁶, K. Ntekas ¹⁰, E. Nurse ⁸⁰,
 F. Nuti ⁹⁰, F. O'grady ⁷, D.C. O'Neil ¹⁴³, V. O'Shea ⁵⁴, F.G. Oakham ^{30,d}, H. Oberlack ¹⁰², T. Obermann ²²,
 J. Ocariz ⁸², A. Ochi ⁶⁹, I. Ochoa ³⁶, J.P. Ochoa-Ricoux ^{33a}, S. Oda ⁷², S. Odaka ⁶⁸, H. Ogren ⁶², A. Oh ⁸⁶,
 S.H. Oh ⁴⁶, C.C. Ohm ¹⁵, H. Ohman ¹⁶⁴, H. Oide ³¹, H. Okawa ¹⁶¹, Y. Okumura ³², T. Okuyama ⁶⁸,
 A. Olariu ^{27b}, L.F. Oleiro Seabra ^{127a}, S.A. Olivares Pino ⁴⁷, D. Oliveira Damazio ²⁶, A. Olszewski ⁴⁰,
 J. Olszowska ⁴⁰, A. Onofre ^{127a,127e}, K. Onogi ¹⁰⁴, P.U.E. Onyisi ^{32,s}, C.J. Oram ^{160a}, M.J. Oreglia ³²,

- Y. Oren ¹⁵⁴, D. Orestano ^{135a,135b}, N. Orlando ^{61b}, R.S. Orr ¹⁵⁹, B. Osculati ^{51a,51b}, R. Ospanov ⁸⁶,
 G. Otero y Garzon ²⁸, H. Otono ⁷², M. Ouchrif ^{136d}, F. Ould-Saada ¹²⁰, A. Ouraou ¹³⁷, K.P. Oussoren ¹⁰⁸,
 Q. Ouyang ^{34a}, A. Ovcharova ¹⁵, M. Owen ⁵⁴, R.E. Owen ¹⁸, V.E. Ozcan ^{19a}, N. Ozturk ⁸, K. Pachal ¹⁴³,
 A. Pacheco Pages ¹², C. Padilla Aranda ¹², M. Pagáčová ⁴⁹, S. Pagan Griso ¹⁵, F. Paige ²⁶, P. Pais ⁸⁸,
 K. Pajchel ¹²⁰, G. Palacino ^{160b}, S. Palestini ³¹, M. Palka ^{39b}, D. Pallin ³⁵, A. Palma ^{127a,127b},
 E. St. Panagiotopoulou ¹⁰, C.E. Pandini ⁸², J.G. Panduro Vazquez ⁷⁹, P. Pani ^{147a,147b}, S. Panitkin ²⁶,
 D. Pantea ^{27b}, L. Paolozzi ⁵⁰, Th.D. Papadopoulou ¹⁰, K. Papageorgiou ¹⁵⁵, A. Paramonov ⁶,
 D. Paredes Hernandez ¹⁷⁵, M.A. Parker ²⁹, K.A. Parker ¹⁴⁰, F. Parodi ^{51a,51b}, J.A. Parsons ³⁶, U. Parzefall ⁴⁹,
 V. Pascuzzi ¹⁵⁹, E. Pasqualucci ^{133a}, S. Passaggio ^{51a}, F. Pastore ^{135a,135b,*}, Fr. Pastore ⁷⁹, G. Pásztor ³⁰,
 S. Pataraia ¹⁷⁴, N.D. Patel ¹⁵¹, J.R. Pater ⁸⁶, T. Pauly ³¹, J. Pearce ¹⁶⁸, B. Pearson ¹¹⁴, L.E. Pedersen ³⁷,
 M. Pedersen ¹²⁰, S. Pedraza Lopez ¹⁶⁶, R. Pedro ^{127a,127b}, S.V. Peleganchuk ^{110,c}, D. Pelikan ¹⁶⁴, O. Penc ¹²⁸,
 C. Peng ^{34a}, H. Peng ^{34b}, J. Penwell ⁶², B.S. Peralva ^{25b}, D.V. Perepelitsa ²⁶, E. Perez Codina ^{160a},
 L. Perini ^{93a,93b}, H. Pernegger ³¹, S. Perrella ^{105a,105b}, R. Peschke ⁴³, V.D. Peshekhonov ⁶⁷, K. Peters ³¹,
 R.F.Y. Peters ⁸⁶, B.A. Petersen ³¹, T.C. Petersen ³⁷, E. Petit ⁵⁶, A. Petridis ¹, C. Petridou ¹⁵⁵, P. Petroff ¹¹⁸,
 E. Petrolo ^{133a}, F. Petrucci ^{135a,135b}, N.E. Pettersson ¹⁵⁸, A. Peyaud ¹³⁷, R. Pezoa ^{33b}, P.W. Phillips ¹³²,
 G. Piacquadio ¹⁴⁴, E. Pianori ¹⁶⁹, A. Picazio ⁸⁸, E. Piccaro ⁷⁸, M. Piccinini ^{21a,21b}, M.A. Pickering ¹²¹,
 R. Piegaia ²⁸, J.E. Pilcher ³², A.D. Pilkington ⁸⁶, A.W.J. Pin ⁸⁶, J. Pina ^{127a,127b,127d}, M. Pinamonti ^{163a,163c,ae},
 J.L. Pinfold ³, A. Pingel ³⁷, S. Pires ⁸², H. Pirumov ⁴³, M. Pitt ¹⁷¹, L. Plazak ^{145a}, M.-A. Pleier ²⁶, V. Pleskot ⁸⁵,
 E. Plotnikova ⁶⁷, P. Plucinski ^{147a,147b}, D. Pluth ⁶⁵, R. Poettgen ^{147a,147b}, L. Poggioli ¹¹⁸, D. Pohl ²²,
 G. Polesello ^{122a}, A. Poley ⁴³, A. Policicchio ^{38a,38b}, R. Polifka ¹⁵⁹, A. Polini ^{21a}, C.S. Pollard ⁵⁴,
 V. Polychronakos ²⁶, K. Pommès ³¹, L. Pontecorvo ^{133a}, B.G. Pope ⁹², G.A. Popeneiciu ^{27c}, D.S. Popovic ¹³,
 A. Poppleton ³¹, S. Pospisil ¹²⁹, K. Potamianos ¹⁵, I.N. Potrap ⁶⁷, C.J. Potter ²⁹, C.T. Potter ¹¹⁷, G. Pouillard ³¹,
 J. Poveda ³¹, V. Pozdnyakov ⁶⁷, M.E. Pozo Astigarraga ³¹, P. Pralavorio ⁸⁷, A. Pranko ¹⁵, S. Prell ⁶⁵,
 D. Price ⁸⁶, L.E. Price ⁶, M. Primavera ^{75a}, S. Prince ⁸⁹, M. Proissl ⁴⁷, K. Prokofiev ^{61c}, F. Prokoshin ^{33b},
 S. Protopopescu ²⁶, J. Proudfoot ⁶, M. Przybycien ^{39a}, D. Puddu ^{135a,135b}, D. Puldon ¹⁴⁹, M. Purohit ^{26,af},
 P. Puzo ¹¹⁸, J. Qian ⁹¹, G. Qin ⁵⁴, Y. Qin ⁸⁶, A. Quadt ⁵⁵, D.R. Quarrie ¹⁵, W.B. Quayle ^{163a,163b},
 M. Queitsch-Maitland ⁸⁶, D. Quilty ⁵⁴, S. Raddum ¹²⁰, V. Radeka ²⁶, V. Radescu ⁴³, S.K. Radhakrishnan ¹⁴⁹,
 P. Radloff ¹¹⁷, P. Rados ⁹⁰, F. Ragusa ^{93a,93b}, G. Rahal ¹⁷⁷, S. Rajagopalan ²⁶, M. Rammensee ³¹,
 C. Rangel-Smith ¹⁶⁴, F. Rauscher ¹⁰¹, S. Rave ⁸⁵, T. Ravenscroft ⁵⁴, M. Raymond ³¹, A.L. Read ¹²⁰,
 N.P. Readioff ⁷⁶, D.M. Rebuzzi ^{122a,122b}, A. Redelbach ¹⁷³, G. Redlinger ²⁶, R. Reece ¹³⁸, K. Reeves ⁴²,
 L. Rehnisch ¹⁶, J. Reichert ¹²³, H. Reisin ²⁸, C. Rembser ³¹, H. Ren ^{34a}, M. Rescigno ^{133a}, S. Resconi ^{93a},
 O.L. Rezanova ^{110,c}, P. Reznicek ¹³⁰, R. Rezvani ⁹⁶, R. Richter ¹⁰², S. Richter ⁸⁰, E. Richter-Was ^{39b},
 O. Ricken ²², M. Ridel ⁸², P. Rieck ¹⁶, C.J. Riegel ¹⁷⁴, J. Rieger ⁵⁵, O. Rifki ¹¹⁴, M. Rijssenbeek ¹⁴⁹,
 A. Rimoldi ^{122a,122b}, L. Rinaldi ^{21a}, B. Ristić ⁵⁰, E. Ritsch ³¹, I. Riu ¹², F. Rizatdinova ¹¹⁵, E. Rizvi ⁷⁸,
 S.H. Robertson ^{89,l}, A. Robichaud-Veronneau ⁸⁹, D. Robinson ²⁹, J.E.M. Robinson ⁴³, A. Robson ⁵⁴,
 C. Roda ^{125a,125b}, Y. Rodina ⁸⁷, A. Rodriguez Perez ¹², S. Roe ³¹, C.S. Rogan ⁵⁸, O. Røhne ¹²⁰,
 A. Romanikou ⁹⁹, M. Romano ^{21a,21b}, S.M. Romano Saez ³⁵, E. Romero Adam ¹⁶⁶, N. Rompotis ¹³⁹,
 M. Ronzani ⁴⁹, L. Roos ⁸², E. Ros ¹⁶⁶, S. Rosati ^{133a}, K. Rosbach ⁴⁹, P. Rose ¹³⁸, O. Rosenthal ¹⁴²,
 V. Rossetti ^{147a,147b}, E. Rossi ^{105a,105b}, L.P. Rossi ^{51a}, J.H.N. Rosten ²⁹, R. Rosten ¹³⁹, M. Rotaru ^{27b},
 I. Roth ¹⁷¹, J. Rothberg ¹³⁹, D. Rousseau ¹¹⁸, C.R. Royon ¹³⁷, A. Rozanov ⁸⁷, Y. Rozen ¹⁵³, X. Ruan ^{146c},
 F. Rubbo ¹⁴⁴, I. Rubinskiy ⁴³, V.I. Rud ¹⁰⁰, M.S. Rudolph ¹⁵⁹, F. Rühr ⁴⁹, A. Ruiz-Martinez ³¹, Z. Rurikova ⁴⁹,
 N.A. Rusakovich ⁶⁷, A. Ruschke ¹⁰¹, H.L. Russell ¹³⁹, J.P. Rutherford ⁷, N. Ruthmann ³¹, Y.F. Ryabov ¹²⁴,
 M. Rybar ¹⁶⁵, G. Rybkin ¹¹⁸, N.C. Ryder ¹²¹, S. Ryu ⁶, A. Ryzhov ¹³¹, A.F. Saavedra ¹⁵¹, G. Sabato ¹⁰⁸,
 S. Sacerdoti ²⁸, H.F-W. Sadrozinski ¹³⁸, R. Sadykov ⁶⁷, F. Safai Tehrani ^{133a}, P. Saha ¹⁰⁹, M. Sahinsoy ^{59a},
 M. Saimpert ¹³⁷, T. Saito ¹⁵⁶, H. Sakamoto ¹⁵⁶, Y. Sakurai ¹⁷⁰, G. Salamanna ^{135a,135b}, A. Salamon ^{134a},
 J.E. Salazar Loyola ^{33b}, D. Salek ¹⁰⁸, P.H. Sales De Bruin ¹³⁹, D. Salihagic ¹⁰², A. Salnikov ¹⁴⁴, J. Salt ¹⁶⁶,
 D. Salvatore ^{38a,38b}, F. Salvatore ¹⁵⁰, A. Salvucci ^{61a}, A. Salzburger ³¹, D. Sammel ⁴⁹, D. Sampsonidis ¹⁵⁵,
 A. Sanchez ^{105a,105b}, J. Sánchez ¹⁶⁶, V. Sanchez Martinez ¹⁶⁶, H. Sandaker ¹²⁰, R.L. Sandbach ⁷⁸,
 H.G. Sander ⁸⁵, M.P. Sanders ¹⁰¹, M. Sandhoff ¹⁷⁴, C. Sandoval ²⁰, R. Sandstroem ¹⁰², D.P.C. Sankey ¹³²,
 M. Sannino ^{51a,51b}, A. Sansoni ⁴⁸, C. Santoni ³⁵, R. Santonico ^{134a,134b}, H. Santos ^{127a}, I. Santoyo Castillo ¹⁵⁰,
 K. Sapp ¹²⁶, A. Sapronov ⁶⁷, J.G. Saraiva ^{127a,127d}, B. Sarrazin ²², O. Sasaki ⁶⁸, Y. Sasaki ¹⁵⁶, K. Sato ¹⁶¹,
 G. Sauvage ^{5,*}, E. Sauvan ⁵, G. Savage ⁷⁹, P. Savard ^{159,d}, C. Sawyer ¹³², L. Sawyer ^{81,o}, J. Saxon ³²,

- C. Sbarra ^{21a}, A. Sbrizzi ^{21a,21b}, T. Scanlon ⁸⁰, D.A. Scannicchio ⁶⁶, M. Scarcella ¹⁵¹, V. Scarfone ^{38a,38b}, J. Schaarschmidt ¹⁷¹, P. Schacht ¹⁰², D. Schaefer ³¹, R. Schaefer ⁴³, J. Schaeffer ⁸⁵, S. Schaepe ²², S. Schaetzl ^{59b}, U. Schäfer ⁸⁵, A.C. Schaffer ¹¹⁸, D. Schaile ¹⁰¹, R.D. Schamberger ¹⁴⁹, V. Scharf ^{59a}, V.A. Schegelsky ¹²⁴, D. Scheirich ¹³⁰, M. Schernau ⁶⁶, C. Schiavi ^{51a,51b}, C. Schillo ⁴⁹, M. Schioppa ^{38a,38b}, S. Schlenker ³¹, K. Schmieden ³¹, C. Schmitt ⁸⁵, S. Schmitt ^{59b}, S. Schmitt ⁴³, S. Schmitz ⁸⁵, B. Schneider ^{160a}, Y.J. Schnellbach ⁷⁶, U. Schnoor ⁴⁹, L. Schoeffel ¹³⁷, A. Schoening ^{59b}, B.D. Schoenrock ⁹², E. Schopf ²², A.L.S. Schorlemmer ⁵⁵, M. Schott ⁸⁵, D. Schouten ^{160a}, J. Schovancova ⁸, S. Schramm ⁵⁰, M. Schreyer ¹⁷³, N. Schuh ⁸⁵, M.J. Schultens ²², H.-C. Schultz-Coulon ^{59a}, H. Schulz ¹⁶, M. Schumacher ⁴⁹, B.A. Schumm ¹³⁸, Ph. Schune ¹³⁷, C. Schwanenberger ⁸⁶, A. Schwartzman ¹⁴⁴, T.A. Schwarz ⁹¹, Ph. Schwegler ¹⁰², H. Schweiger ⁸⁶, Ph. Schwemling ¹³⁷, R. Schwienhorst ⁹², J. Schwindling ¹³⁷, T. Schwindt ²², G. Sciolla ²⁴, F. Scuri ^{125a,125b}, F. Scutti ⁹⁰, J. Searcy ⁹¹, P. Seema ²², S.C. Seidel ¹⁰⁶, A. Seiden ¹³⁸, F. Seifert ¹²⁹, J.M. Seixas ^{25a}, G. Sekhniaidze ^{105a}, K. Sekhon ⁹¹, S.J. Sekula ⁴¹, D.M. Seliverstov ^{124,*}, N. Semprini-Cesari ^{21a,21b}, C. Serfon ³¹, L. Serin ¹¹⁸, L. Serkin ^{163a,163b}, M. Sessa ^{135a,135b}, R. Seuster ^{160a}, H. Severini ¹¹⁴, T. Sfiligoj ⁷⁷, F. Sforza ³¹, A. Sfyrla ⁵⁰, E. Shabalina ⁵⁵, N.W. Shaikh ^{147a,147b}, L.Y. Shan ^{34a}, R. Shang ¹⁶⁵, J.T. Shank ²³, M. Shapiro ¹⁵, P.B. Shatalov ⁹⁸, K. Shaw ^{163a,163b}, S.M. Shaw ⁸⁶, A. Shcherbakova ^{147a,147b}, C.Y. Shehu ¹⁵⁰, P. Sherwood ⁸⁰, L. Shi ^{152,ag}, S. Shimizu ⁶⁹, C.O. Shimmin ⁶⁶, M. Shimojima ¹⁰³, M. Shiyakova ^{67,ah}, A. Shmeleva ⁹⁷, D. Shoaleh Saadi ⁹⁶, M.J. Shochet ³², S. Shojaii ^{93a,93b}, S. Shrestha ¹¹², E. Shulga ⁹⁹, M.A. Shupe ⁷, P. Sicho ¹²⁸, P.E. Sidebo ¹⁴⁸, O. Sidiropoulou ¹⁷³, D. Sidorov ¹¹⁵, A. Sidoti ^{21a,21b}, F. Siegert ⁴⁵, Dj. Sijacki ¹³, J. Silva ^{127a,127d}, S.B. Silverstein ^{147a}, V. Simak ¹²⁹, O. Simard ⁵, Lj. Simic ¹³, S. Simion ¹¹⁸, E. Simioni ⁸⁵, B. Simmons ⁸⁰, D. Simon ³⁵, M. Simon ⁸⁵, P. Sinervo ¹⁵⁹, N.B. Sinev ¹¹⁷, M. Sioli ^{21a,21b}, G. Siragusa ¹⁷³, S.Yu. Sivoklokov ¹⁰⁰, J. Sjölin ^{147a,147b}, T.B. Sjursen ¹⁴, M.B. Skinner ⁷⁴, H.P. Skottowe ⁵⁸, P. Skubic ¹¹⁴, M. Slater ¹⁸, T. Slavicek ¹²⁹, M. Slawinska ¹⁰⁸, K. Sliwa ¹⁶², V. Smakhtin ¹⁷¹, B.H. Smart ⁴⁷, L. Smestad ¹⁴, S.Yu. Smirnov ⁹⁹, Y. Smirnov ⁹⁹, L.N. Smirnova ^{100,ai}, O. Smirnova ⁸³, M.N.K. Smith ³⁶, R.W. Smith ³⁶, M. Smizanska ⁷⁴, K. Smolek ¹²⁹, A.A. Snesarev ⁹⁷, G. Snidero ⁷⁸, S. Snyder ²⁶, R. Sobie ^{168,l}, F. Socher ⁴⁵, A. Soffer ¹⁵⁴, D.A. Soh ^{152,ag}, G. Sokhrannyi ⁷⁷, C.A. Solans Sanchez ³¹, M. Solar ¹²⁹, E.Yu. Soldatov ⁹⁹, U. Soldevila ¹⁶⁶, A.A. Solodkov ¹³¹, A. Soloshenko ⁶⁷, O.V. Solovyanov ¹³¹, V. Solovyev ¹²⁴, P. Sommer ⁴⁹, H.Y. Song ^{34b,z}, N. Soni ¹, A. Sood ¹⁵, A. Sopczak ¹²⁹, V. Sopko ¹²⁹, V. Sorin ¹², D. Sosa ^{59b}, C.L. Sotropoulou ^{125a,125b}, R. Soualah ^{163a,163c}, A.M. Soukharev ^{110,c}, D. South ⁴³, B.C. Sowden ⁷⁹, S. Spagnolo ^{75a,75b}, M. Spalla ^{125a,125b}, M. Spangenberg ¹⁶⁹, F. Spanò ⁷⁹, D. Sperlich ¹⁶, F. Spettel ¹⁰², R. Spighi ^{21a}, G. Spigo ³¹, L.A. Spiller ⁹⁰, M. Spousta ¹³⁰, R.D. St. Denis ^{54,*}, A. Stabile ^{93a}, S. Staerz ³¹, J. Stahlman ¹²³, R. Stamen ^{59a}, S. Stamm ¹⁶, E. Stanecka ⁴⁰, R.W. Stanek ⁶, C. Stanescu ^{135a}, M. Stanescu-Bellu ⁴³, M.M. Stanitzki ⁴³, S. Stapnes ¹²⁰, E.A. Starchenko ¹³¹, G.H. Stark ³², J. Stark ⁵⁶, P. Staroba ¹²⁸, P. Starovoitov ^{59a}, R. Staszewski ⁴⁰, P. Steinberg ²⁶, B. Stelzer ¹⁴³, H.J. Stelzer ³¹, O. Stelzer-Chilton ^{160a}, H. Stenzel ⁵³, G.A. Stewart ⁵⁴, J.A. Stillings ²², M.C. Stockton ⁸⁹, M. Stoebe ⁸⁹, G. Stoica ^{27b}, P. Stolte ⁵⁵, S. Stonjek ¹⁰², A.R. Stradling ⁸, A. Straessner ⁴⁵, M.E. Stramaglia ¹⁷, J. Strandberg ¹⁴⁸, S. Strandberg ^{147a,147b}, A. Strandlie ¹²⁰, M. Strauss ¹¹⁴, P. Strizenec ^{145b}, R. Ströhmer ¹⁷³, D.M. Strom ¹¹⁷, R. Stroynowski ⁴¹, A. Strubig ¹⁰⁷, S.A. Stucci ¹⁷, B. Stugu ¹⁴, N.A. Styles ⁴³, D. Su ¹⁴⁴, J. Su ¹²⁶, R. Subramaniam ⁸¹, S. Suchek ^{59a}, Y. Sugaya ¹¹⁹, M. Suk ¹²⁹, V.V. Sulin ⁹⁷, S. Sultansoy ^{4c}, T. Sumida ⁷⁰, S. Sun ⁵⁸, X. Sun ^{34a}, J.E. Sundermann ⁴⁹, K. Suruliz ¹⁵⁰, G. Susinno ^{38a,38b}, M.R. Sutton ¹⁵⁰, S. Suzuki ⁶⁸, M. Svatos ¹²⁸, M. Swiatlowski ³², I. Sykora ^{145a}, T. Sykora ¹³⁰, D. Ta ⁴⁹, C. Taccini ^{135a,135b}, K. Tackmann ⁴³, J. Taenzer ¹⁵⁹, A. Taffard ⁶⁶, R. Tafirout ^{160a}, N. Taiblum ¹⁵⁴, H. Takai ²⁶, R. Takashima ⁷¹, H. Takeda ⁶⁹, T. Takeshita ¹⁴¹, Y. Takubo ⁶⁸, M. Talby ⁸⁷, A.A. Talyshев ^{110,c}, J.Y.C. Tam ¹⁷³, K.G. Tan ⁹⁰, J. Tanaka ¹⁵⁶, R. Tanaka ¹¹⁸, S. Tanaka ⁶⁸, B.B. Tannenwald ¹¹², S. Tapia Araya ^{33b}, S. Tapprogge ⁸⁵, S. Tarem ¹⁵³, G.F. Tartarelli ^{93a}, P. Tas ¹³⁰, M. Tasevsky ¹²⁸, T. Tashiro ⁷⁰, E. Tassi ^{38a,38b}, A. Tavares Delgado ^{127a,127b}, Y. Tayalati ^{136d}, A.C. Taylor ¹⁰⁶, G.N. Taylor ⁹⁰, P.T.E. Taylor ⁹⁰, W. Taylor ^{160b}, F.A. Teischinger ³¹, P. Teixeira-Dias ⁷⁹, K.K. Temming ⁴⁹, D. Temple ¹⁴³, H. Ten Kate ³¹, P.K. Teng ¹⁵², J.J. Teoh ¹¹⁹, F. Tepel ¹⁷⁴, S. Terada ⁶⁸, K. Terashi ¹⁵⁶, J. Terron ⁸⁴, S. Terzo ¹⁰², M. Testa ⁴⁸, R.J. Teuscher ^{159,l}, T. Theveneaux-Pelzer ⁸⁷, J.P. Thomas ¹⁸, J. Thomas-Wilsker ⁷⁹, E.N. Thompson ³⁶, P.D. Thompson ¹⁸, R.J. Thompson ⁸⁶, A.S. Thompson ⁵⁴, L.A. Thomsen ¹⁷⁵, E. Thomson ¹²³, M. Thomson ²⁹, M.J. Tibbetts ¹⁵, R.E. Ticse Torres ⁸⁷, V.O. Tikhomirov ^{97,aj}, Yu.A. Tikhonov ^{110,c}, S. Timoshenko ⁹⁹, E. Tiouchichine ⁸⁷, P. Tipton ¹⁷⁵, S. Tisserant ⁸⁷, K. Todome ¹⁵⁸, T. Todorov ^{5,*}, S. Todorova-Nova ¹³⁰, J. Tojo ⁷², S. Tokár ^{145a},

- K. Tokushuku 68, E. Tolley 58, L. Tomlinson 86, M. Tomoto 104, L. Tompkins 144,^{ak}, K. Toms 106, B. Tong 58, E. Torrence 117, H. Torres 143, E. Torró Pastor 139, J. Toth 87,^{al}, F. Touchard 87, D.R. Tovey 140, T. Trefzger 173, L. Tremblet 31, A. Tricoli 31, I.M. Trigger 160a, S. Trincaz-Duvold 82, M.F. Tripiana 12, W. Trischuk 159, B. Trocmé 56, A. Trofymov 43, C. Troncon 93a, M. Trottier-McDonald 15, M. Trovatelli 168, L. Truong 163a, 163b, M. Trzebinski 40, A. Trzupek 40, J.C.-L. Tseng 121, P.V. Tsiareshka 94, G. Tsipolitis 10, N. Tsirintanis 9, S. Tsiskaridze 12, V. Tsiskaridze 49, E.G. Tskhadadze 52a, K.M. Tsui 61a, I.I. Tsukerman 98, V. Tsulaia 15, S. Tsuno 68, D. Tsybychev 149, A. Tudorache 27b, V. Tudorache 27b, A.N. Tuna 58, S.A. Tupputi 21a, 21b, S. Turchikhin 100,^{ai}, D. Turecek 129, D. Turgeman 171, R. Turra 93a, 93b, A.J. Turvey 41, P.M. Tuts 36, M. Tylmad 147a, 147b, M. Tyndel 132, I. Ueda 156, R. Ueno 30, M. Ughetto 147a, 147b, F. Ukegawa 161, G. Unal 31, A. Undrus 26, G. Unel 66, F.C. Ungaro 90, Y. Unno 68, C. Unverdorben 101, J. Urban 145b, P. Urquijo 90, P. Urrejola 85, G. Usai 8, A. Usanova 63, L. Vacavant 87, V. Vacek 129, B. Vachon 89, C. Valderanis 85, N. Valencic 108, S. Valentinetto 21a, 21b, A. Valero 166, L. Valery 12, S. Valkar 130, S. Vallecorsa 50, J.A. Valls Ferrer 166, W. Van Den Wollenberg 108, P.C. Van Der Deijl 108, R. van der Geer 108, H. van der Graaf 108, N. van Eldik 153, P. van Gemmeren 6, J. Van Nieuwkoop 143, I. van Vulpen 108, M.C. van Woerden 31, M. Vanadia 133a, 133b, W. Vandelli 31, R. Vanguri 123, A. Vaniachine 6, G. Vardanyan 176, R. Vari 133a, E.W. Varnes 7, T. Varol 41, D. Varouchas 82, A. Vartapetian 8, K.E. Varvell 151, F. Vazeille 35, T. Vazquez Schroeder 89, J. Veatch 7, L.M. Veloce 159, F. Veloso 127a, 127c, S. Veneziano 133a, A. Ventura 75a, 75b, M. Venturi 168, N. Venturi 159, A. Venturini 24, V. Vercesi 122a, M. Verducci 133a, 133b, W. Verkerke 108, J.C. Vermeulen 108, A. Vest 45,^{am}, M.C. Vetterli 143,d, O. Viazlo 83, I. Vichou 165, T. Vickey 140, O.E. Vickey Boeriu 140, G.H.A. Viehhauser 121, S. Viel 15, R. Vigne 63, M. Villa 21a, 21b, M. Villaplana Perez 93a, 93b, E. Vilucchi 48, M.G. Vincter 30, V.B. Vinogradov 67, I. Vivarelli 150, S. Vlachos 10, M. Vlasak 129, M. Vogel 174, P. Vokac 129, G. Volpi 125a, 125b, M. Volpi 90, H. von der Schmitt 102, E. von Toerne 22, V. Vorobel 130, K. Vorobev 99, M. Vos 166, R. Voss 31, J.H. Vossebeld 76, N. Vranjes 13, M. Vranjes Milosavljevic 13, V. Vrba 128, M. Vreeswijk 108, R. Vuillermet 31, I. Vukotic 32, Z. Vykydal 129, P. Wagner 22, W. Wagner 174, H. Wahlberg 73, S. Wahrmund 45, J. Wakabayashi 104, J. Walder 74, R. Walker 101, W. Walkowiak 142, V. Wallangen 147a, 147b, C. Wang 152, C. Wang 34d, 87, F. Wang 172, H. Wang 15, H. Wang 41, J. Wang 43, J. Wang 151, K. Wang 89, R. Wang 6, S.M. Wang 152, T. Wang 22, T. Wang 36, X. Wang 175, C. Wanotayaroj 117, A. Warburton 89, C.P. Ward 29, D.R. Wardrobe 80, A. Washbrook 47, P.M. Watkins 18, A.T. Watson 18, I.J. Watson 151, M.F. Watson 18, G. Watts 139, S. Watts 86, B.M. Waugh 80, S. Webb 86, M.S. Weber 17, S.W. Weber 173, J.S. Webster 6, A.R. Weidberg 121, B. Weinert 62, J. Weingarten 55, C. Weiser 49, H. Weits 108, P.S. Wells 31, T. Wenaus 26, T. Wengler 31, S. Wenig 31, N. Wermes 22, M. Werner 49, P. Werner 31, M. Wessels 59a, J. Wetter 162, K. Whalen 117, A.M. Wharton 74, A. White 8, M.J. White 1, R. White 33b, S. White 125a, 125b, D. Whiteson 66, F.J. Wickens 132, W. Wiedenmann 172, M. Wielers 132, P. Wienemann 22, C. Wiglesworth 37, L.A.M. Wiik-Fuchs 22, A. Wildauer 102, H.G. Wilkens 31, H.H. Williams 123, S. Williams 108, C. Willis 92, S. Willocq 88, J.A. Wilson 18, I. Wingerter-Seez 5, F. Winklmeier 117, B.T. Winter 22, M. Wittgen 144, J. Wittkowski 101, S.J. Wollstadt 85, M.W. Wolter 40, H. Wolters 127a, 127c, B.K. Wosiek 40, J. Wotschack 31, M.J. Woudstra 86, K.W. Wozniak 40, M. Wu 56, M. Wu 32, S.L. Wu 172, X. Wu 50, Y. Wu 91, T.R. Wyatt 86, B.M. Wynne 47, S. Xella 37, D. Xu 34a, L. Xu 26, B. Yabsley 151, S. Yacoob 146a, R. Yakabe 69, D. Yamaguchi 158, Y. Yamaguchi 119, A. Yamamoto 68, S. Yamamoto 156, T. Yamanaka 156, K. Yamauchi 104, Y. Yamazaki 69, Z. Yan 23, H. Yang 34e, H. Yang 172, Y. Yang 152, Z. Yang 14, W.-M. Yao 15, Y.C. Yap 82, Y. Yasu 68, E. Yatsenko 5, K.H. Yau Wong 22, J. Ye 41, S. Ye 26, I. Yeletskikh 67, A.L. Yen 58, E. Yildirim 43, K. Yorita 170, R. Yoshida 6, K. Yoshihara 123, C. Young 144, C.J.S. Young 31, S. Youssef 23, D.R. Yu 15, J. Yu 8, J.M. Yu 91, J. Yu 65, L. Yuan 69, S.P.Y. Yuen 22, I. Yusuff 29,^{an}, B. Zabinski 40, R. Zaidan 34d, A.M. Zaitsev 131,^{ac}, N. Zakharchuk 43, J. Zalieckas 14, A. Zaman 149, S. Zambito 58, L. Zanello 133a, 133b, D. Zanzi 90, C. Zeitnitz 174, M. Zeman 129, A. Zemla 39a, J.C. Zeng 165, Q. Zeng 144, K. Zengel 24, O. Zenin 131, T. Ženiš 145a, D. Zerwas 118, D. Zhang 91, F. Zhang 172, G. Zhang 34b,z, H. Zhang 34c, J. Zhang 6, L. Zhang 49, R. Zhang 22, R. Zhang 34b,ao, X. Zhang 34d, Z. Zhang 118, X. Zhao 41, Y. Zhao 34d, 118, Z. Zhao 34b, A. Zhemchugov 67, J. Zhong 121, B. Zhou 91, C. Zhou 46, L. Zhou 36, L. Zhou 41, M. Zhou 149, N. Zhou 34f, C.G. Zhu 34d, H. Zhu 34a, J. Zhu 91, Y. Zhu 34b, X. Zhuang 34a, K. Zhukov 97, A. Zibell 173, D. Ziemińska 62, N.I. Zimine 67, C. Zimmermann 85, S. Zimmermann 49, Z. Zinonos 55, M. Zinser 85, M. Ziolkowski 142, L. Živković 13, G. Zobernig 172, A. Zoccoli 21a, 21b, M. zur Nedden 16, G. Zurzolo 105a, 105b, L. Zwaliński 31

- ¹ Department of Physics, University of Adelaide, Adelaide, Australia
- ² Physics Department, SUNY Albany, Albany, NY, United States
- ³ Department of Physics, University of Alberta, Edmonton, AB, Canada
- ⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey
- ⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France
- ⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States
- ⁷ Department of Physics, University of Arizona, Tucson, AZ, United States
- ⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States
- ⁹ Physics Department, University of Athens, Athens, Greece
- ¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece
- ¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ¹² Institut de Física d'Altres Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain
- ¹³ Institute of Physics, University of Belgrade, Belgrade, Serbia
- ¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway
- ¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States
- ¹⁶ Department of Physics, Humboldt University, Berlin, Germany
- ¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
- ¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- ¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey; ^(e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey
- ²⁰ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ²¹ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy
- ²² Physikalisches Institut, University of Bonn, Bonn, Germany
- ²³ Department of Physics, Boston University, Boston, MA, United States
- ²⁴ Department of Physics, Brandeis University, Waltham, MA, United States
- ²⁵ ^(a) Universidad Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil
- ²⁶ Physics Department, Brookhaven National Laboratory, Upton, NY, United States
- ²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(d) University Politehnica Bucharest, Bucharest; ^(e) West University in Timisoara, Timisoara, Romania
- ²⁸ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ²⁹ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- ³⁰ Department of Physics, Carleton University, Ottawa, ON, Canada
- ³¹ CERN, Geneva, Switzerland
- ³² Enrico Fermi Institute, University of Chicago, Chicago, IL, United States
- ³³ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- ³⁴ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai ^{ap}; ^(f) Physics Department, Tsinghua University, Beijing 100084, China
- ³⁵ Laboratoire de Physique Corpusculaire, Clermont Université et Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France
- ³⁶ Nevis Laboratory, Columbia University, Irvington, NY, United States
- ³⁷ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
- ³⁸ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
- ³⁹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ⁴⁰ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
- ⁴¹ Physics Department, Southern Methodist University, Dallas, TX, United States
- ⁴² Physics Department, University of Texas at Dallas, Richardson, TX, United States
- ⁴³ DESY, Hamburg and Zeuthen, Germany
- ⁴⁴ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴⁵ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁶ Department of Physics, Duke University, Durham, NC, United States
- ⁴⁷ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁸ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁴⁹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ⁵⁰ Section de Physique, Université de Genève, Geneva, Switzerland
- ⁵¹ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- ⁵² ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- ⁵³ II Physikalisch Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵⁴ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁵ II Physikalisch Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁶ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
- ⁵⁷ Department of Physics, Hampton University, Hampton, VA, United States
- ⁵⁸ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
- ⁵⁹ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- ⁶⁰ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶¹ ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- ⁶² Department of Physics, Indiana University, Bloomington, IN, United States
- ⁶³ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶⁴ University of Iowa, Iowa City, IA, United States
- ⁶⁵ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
- ⁶⁶ Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
- ⁶⁷ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁸ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁶⁹ Graduate School of Science, Kobe University, Kobe, Japan
- ⁷⁰ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁷¹ Kyoto University of Education, Kyoto, Japan

- ⁷² Department of Physics, Kyushu University, Fukuoka, Japan
⁷³ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷⁴ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁵ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁶ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁷ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁸ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁹ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁸⁰ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸¹ Louisiana Tech University, Ruston, LA, United States
⁸² Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸³ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁴ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁵ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁶ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁷ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁸ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁹ Department of Physics, McGill University, Montreal, QC, Canada
⁹⁰ School of Physics, University of Melbourne, Victoria, Australia
⁹¹ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁹² Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁹³ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁴ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁵ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹⁶ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁷ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁸ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁹ National Research Nuclear University MEPhI, Moscow, Russia
¹⁰⁰ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰¹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰² Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰³ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰⁴ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁵ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁶ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁷ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁸ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁹ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹¹⁰ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹¹ Department of Physics, New York University, New York, NY, United States
¹¹² Ohio State University, Columbus, OH, United States
¹¹³ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁴ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹⁵ Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹⁶ Palacký University, RCPTM, Olomouc, Czech Republic
¹¹⁷ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁸ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹¹⁹ Graduate School of Science, Osaka University, Osaka, Japan
¹²⁰ Department of Physics, University of Oslo, Oslo, Norway
¹²¹ Department of Physics, Oxford University, Oxford, United Kingdom
¹²² ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²³ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²⁴ National Research Centre "Kurchatov Institute", B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁵ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁶ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁷ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁸ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁹ Czech Technical University in Prague, Praha, Czech Republic
¹³⁰ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹³¹ State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
¹³² Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³³ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
¹³⁴ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁵ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
¹³⁶ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
¹³⁷ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
¹³⁸ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁹ Department of Physics, University of Washington, Seattle, WA, United States
¹⁴⁰ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴¹ Department of Physics, Shinshu University, Nagano, Japan
¹⁴² Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴³ Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁴⁴ SLAC National Accelerator Laboratory, Stanford, CA, United States
¹⁴⁵ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

- 146 ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 147 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
 148 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 149 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
 150 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 151 School of Physics, University of Sydney, Sydney, Australia
 152 Institute of Physics, Academia Sinica, Taipei, Taiwan
 153 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 154 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 155 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 156 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 157 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 158 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 159 Department of Physics, University of Toronto, Toronto, ON, Canada
 160 ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
 161 Faculty of Pure and Applied Sciences, and Center for Integrated in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
 162 Department of Physics and Astronomy, Tufts University, Medford, MA, United States
 163 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 164 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 165 Department of Physics, University of Illinois, Urbana, IL, United States
 166 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
 167 Department of Physics, University of British Columbia, Vancouver, BC, Canada
 168 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
 169 Department of Physics, University of Warwick, Coventry, United Kingdom
 170 Waseda University, Tokyo, Japan
 171 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 172 Department of Physics, University of Wisconsin, Madison, WI, United States
 173 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 174 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 175 Department of Physics, Yale University, New Haven, CT, United States
 176 Yerevan Physics Institute, Yerevan, Armenia
 177 Centre de Calcul de l’Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^c Also at Novosibirsk State University, Novosibirsk, Russia.^d Also at TRIUMF, Vancouver, BC, Canada.^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States.^f Also at Department of Physics, California State University, Fresno, CA, United States.^g Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.^h Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.ⁱ Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.^j Also at Tomsk State University, Tomsk, Russia.^k Also at Università di Napoli Parthenope, Napoli, Italy.^l Also at Institute of Particle Physics (IPP), Canada.^m Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.ⁿ Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.^o Also at Louisiana Tech University, Ruston, LA, United States.^p Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.^q Also at Graduate School of Science, Osaka University, Osaka, Japan.^r Also at Department of Physics, National Tsing Hua University, Taiwan.^s Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.^t Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.^u Also at CERN, Geneva, Switzerland.^v Also at Georgian Technical University (GTU), Tbilisi, Georgia.^w Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.^x Also at Manhattan College, New York, NY, United States.^y Also at Hellenic Open University, Patras, Greece.^z Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.^{aa} Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.^{ab} Also at School of Physics, Shandong University, Shandong, China.^{ac} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.^{ad} Also at Section de Physique, Université de Genève, Geneva, Switzerland.^{ae} Also at International School for Advanced Studies (SISSA), Trieste, Italy.^{af} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.^{ag} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.^{ah} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.^{ai} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.^{aj} Also at National Research Nuclear University MEPhI, Moscow, Russia.^{ak} Also at Department of Physics, Stanford University, Stanford, CA, United States.^{al} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.^{am} Also at Flensburg University of Applied Sciences, Flensburg, Germany.

an Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.

ao Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

ap Also affiliated with PKU-CHEP.

* Deceased.